

Publisher's Note: "All-optical delay line using semiconductor cavity solitons" [Appl. Phys. Lett. 92, 011101 (2008)]

F. Pedaci,¹ S. Barland,¹ E. Caboche,¹ P. Genevet,¹ M. Giudici,¹ J. R. Tredicce,^{1,a)}
T. Ackemann,² A. J. Scroggie,² W. J. Firth,² G.-L. Oppo,² G. Tissoni,³ and R. Jäger⁴

¹*Institut Non-linéaire de Nice, Université de Nice Sophia, Antipolis—Centre Nationale de la Recherche Scientifique, 1361 route des Lucioles, 06560 Valbonne, France*

²*SUPA, Department of Physics, University of Strathclyde, 107 Rottenrow, Glasgow G4 0NG, Scotland, United Kingdom*

³*INFN-CNR and CNISM, Dipartimento di Matematica e Fisica, Università dell'Insubria, Via Valleggio 11, 22100 Como, Italy*

⁴*ULM Photonics, Lise Meitner Str. 13, 89081 Ulm, Germany*

(Received 5 June 2009; published online 29 June 2009)

[DOI: [10.1063/1.3168395](https://doi.org/10.1063/1.3168395)]

This article was originally published online and in print with an error in the deposit number for AIP's Electronic Physics Auxiliary Publication Service (EPAPS): In Ref. 17, the EPAPS Deposit No. E-APPLAB-92-01801 should have been E-APPLAB-92-010801. AIP apologizes for this error. All online versions of the article have been corrected.

^{a)}Electronic mail: jorge.tredicce@inln.cnrs.fr.