

Introduction

- Rate reduction is a popular management strategy in treatment of hypokinetic dysarthria (Yorkston et al., 2007). However, not all speakers with dysarthria exhibit improved speech intelligibility when slowing rate (Tjaden et al., 2014).
- Research on the effects of rate changes on stability of sentence-length speech motor movements in dysarthria is sparse and contradictory, with findings of:
- increased variability at slow rate (Kleinow et al., 2001).
- increased variability at *fast* rate (McHenry, 2003). Most speech variability research is based on kinematic data, but new techniques enable the assessment of variability of *acoustic* properties as an indirect measure of speech movement stability (Anderson et al., 2008).

Purpose

Investigate effect of rate changes on measures of sentencelevel acoustic variability in dysarthria, and evaluate possible relationships between acoustic variability measures and intelligibility in dysarthria.

Methods

Participants

23 speakers with PD and mild-moderate hypokinetic dysarthria (HD) 18 male, 5 female, age 40-81, M = 66.6, SD = 10.6 9 speakers with various neurological diseases and mildsevere ataxic / ataxic-spastic dysarthria (AD) 6 male, 3 female, age 37-70, M=57.4, SD=13.9 27 age-matched control speakers (CON) 16 male, 11 female, age 35-80, M=57.4, SD=13.9

Speech Tasks: Variability Measures

Repeat the phrase "Tony knew you were lying in bed" as similar as possible, around 20 times Three speaking conditions:


- Habitual speech rate (Hab)
- Slow speech rate
- Fast speech rate

Acoustic properties of interest:

- Sound pressure level (SPL)
- Fundamental Frequency (F0)
- First Formant (F1)
- Measures extracted with Functional Data Analysis: Spatial Variability
 - Temporal Variability

Speech Tasks: Intelligibility Measures

Engage in a monologue. Perceptual judgements (Likert-scaled ratings of intelligibility) and listening effort) by 15 undergraduate SLP students; some experience in listening to dysarthric speech





www.buffalo.edu