

A Framework to Maximise the Communicative Power of Knowledge Visualisations

Karen Renaud^{1,2} and Judy van Biljon²

k.renaud@abertay.ac.uk, vbiljja@unisa.ac.za

¹School of Design and Informatics, University of Abertay, Dundee, UK

²School of Computing, University of South Africa, South Africa

ABSTRACT

Knowledge visualisation, in the field of information systems, is both a process and a product, and is informed by the closely aligned fields of information visualisation and knowledge management. Knowledge visualisation has untapped potential within the purview of knowledge communication. Even so, there is little evidence of knowledge visualisations being deployed. This might be due to a lack of evidence-based guidance to inform their creation. To improve this situation, we derived a number of “lenses” that can be used to reveal essential perspectives and feed into the visualisation production process.

We propose a conceptual framework which incorporates these lenses to guide producers of knowledge visualisations. This framework uses the different lenses to reveal critical perspectives that need to be considered during the design process. We conclude by demonstrating how this framework could be used to produce an knowledge visualisation with maximum communicative power .

ACM Reference Format:

Karen Renaud^{1,2} and Judy van Biljon². 2019. A Framework to Maximise the Communicative Power of Knowledge Visualisations. In *Proceedings of (SAICSIT'19)*. ACM, Skukuza, South Africa, 10 pages. ISBN:978-1-4503-7265-7

1 INTRODUCTION

The capacity to create and utilise knowledge is considered to be one of the most important sources of a firm’s sustainable competitive advantage [91]. Organisations need to ensure that such knowledge is accessible and available to the right people, at the right time, because humans rely on knowledge that is stored in the collective mind [105]. Wersig [120] points out that the sheer volume of knowledge makes this challenging. Rubenstein-Montano *et al.* [100] emphasise the need to develop strategies to ensure that ideas and knowledge are communicated in organisations. The importance of effective knowledge transfer and communication has also been highlighted by researchers in a variety of different contexts, including: education [41], management [3, 7, 36], medicine [16] and project management [54] (to mention but a few).

Knowledge visualisations have the potential to assist in knowledge transfer and communication [32, 37, 38] but those who wish to visualise knowledge face a number of challenges. These include making sense of widely divergent definitions, finding assistance in the somewhat sparse literature and working within an environment characterised by a dearth of tools, models and guidance [18]. Moreover, the visualisation needs to align with the needs of both the knowledge transmitter and the knowledge recipient [32], and this is particularly challenging if the knowledge itself, or part thereof, is tacit. Hence the unguided knowledge visualisation producer works somewhat “in the dark” producing visualisations that might not have the requisite communicative power.

Our aim, in carrying out this research, was to provide a more structured way for visualisers to produce *effective* visualisations. By ‘effective’ we mean that they demonstrate maximal communicative power. We hope to facilitate a wider deployment of knowledge visualisations to ease, encourage the deployment of, and facilitate knowledge communication. The rest of this paper is structured as follows:

Justification (Section 2): This section explains the need for more guidance towards the development of effective knowledge visualisations i.e. those with high communicative power.

Exploration (Section 3): We carried out a systematic literature review in order to gain insights into all extant literature related to knowledge visualisation frameworks and models. We also explored the literature to explore the meaning of the term “communicative power” in the knowledge visualisation context.

Outcome (Section 4): We propose a framework which encourages visualisers to use four different lenses to reveal the different stakeholder dimensions. This process can inform and guide the development of knowledge visualisations in a structured and rigorous way. We provide an example of how the framework delivers value in the field of information systems (Section 4).

Section 5 concludes by discussing and reflecting on the use of the framework, and suggests anticipated future research directions.

2 JUSTIFICATION: WHY A FRAMEWORK?

Knowledge is visualised to enhance and support knowledge communication and management. Knowledge visualisation relates to the process of visualising knowledge in order to exploit human visual processing capabilities and strengths in order to make such communication as effective and efficient as possible. The deployment of visualisations is of interest to those who need to communicate knowledge in all fields of human endeavour.

Knowledge visualisation, as a field of research, experienced a brief flurry of interest in the early part of the 21st century. Over the last few years, this interest appears to have waned, despite

knowledge visualisation's proven ability to enhance and improve knowledge communication [6, 17, 38]. The closely-related field of information visualisation is mature with well-established guidelines and practices. Knowledge visualisation, in contrast, is a relatively new area of research [26, 98].

Scagnetti [101] provides a few examples of the deployment of visualisations under other labels, in a wide variety of fields, including 'Visual Analytics' [80], 'Mapping of Controversies' [68] or 'Mapping the Republic of Letters' [29]. All use visualisations as communicative artifacts.

As will become clear from the literature, there are known pitfalls in deploying knowledge visualisations [21]. Some guidelines have been published to support visualisers, but those are either limited to a specific area (for example, [17, 65, 77, 81, 116]), very general (for example, [19, 25]) or do not distinguish between information and knowledge visualisation guidelines (for example, [35]). We thus propose a consolidated set of lenses as a novel contribution in providing an evidence-based, structured process to support and foster production of effective knowledge visualisations.

3 EXPLORATION: CORE CONCEPTS

Knowledge itself can be considered a *product* or a *process*, and knowledge visualisation also spans both (Figure 1). A knowledge visualisation does not result from a big-bang type event; but is rather the product of an iterative process, incorporating successive refinements and improvements in order to maximise the communicative power of the final visualisation.




Figure 1: Knowledge Visualisation as a Knowledge Management Tool (adapted from [1, p. 715])

Before we start, it is necessary to lay the groundwork: defining 'knowledge' and 'knowledge visualisation' and explaining how we plan to structure the discussion.

Knowledge Definition: Du [32] reviews a number of different schools of thought when it comes to an understanding of what knowledge is, and explains how difficult it is to choose tools for knowledge visualisation when there is such wide disagreement on what knowledge actually is. Du proposes moving the focus from this nebulous concept to that of the *knower*. He argues that it is they who hold knowledge that they wish to communicate to recipients. In this case, definitions might well become less than helpful given

the wide range of knowledge and contexts. Our framework will thus characterise the knower as the **designer** of the visualisation who, for some purpose, wishes to communicate knowledge. The recipients are the **audience**. These are the first two lenses for our framework: the 'WHY' and the 'FOR WHOM'.

Knowledge Visualisation Definition: Renaud and Van Biljon [98] derived a comprehensive definition of the term "Knowledge Visualisation", consolidating the concepts encapsulated in all previous definitions as: "*the use of graphical means to communicate experiences, insights and potentially complex knowledge. Such means should be flexible enough to accommodate changing insights, and facilitate conversations. Such representations facilitate and expedite the creation and transfer of knowledge between people by improving and promoting knowledge processing and comprehension*".

This suggests some more elements for our framework. First, the **knowledge** itself (the 'WHAT'), and the **visualisation** thereof (the 'HOW'). Moreover, since all knowledge is inherently contextual [96], we need to situate knowledge within **context** because, as Lewi [71] argues, the quality of a diagram depicting knowledge cannot be fully appreciated without also knowing the historical, social and economic context of the situated knowledge.

These definitions serve to identify the core lenses to be incorporated into our proposed framework: (1) **why**, (2) **what** (which includes context), (3) **how** and (4) **for whom**.

3.1 Lenses

Our definitions suggested the use of four lenses to reveal the perspectives that need to be considered when producing a visualisation. We now consider other knowledge visualisation frameworks to see which lenses/perspectives they use. Ward [119] proposes a framework for knowledge mobilisers based on the same four perspectives. Kernbach and Naberjog [62] propose a set of lenses which, although differently titled, also encapsulate a notion of considering who the audience will be, what knowledge needs to be communicated in visual format, thinking about how to visualise the knowledge, and translating the ideas into a visualisation. Eilouti [34] proposes a framework for producing visualisations with three stages: deriving the knowledge (*what*), formulating the concept (considering metaphors, symbols and contexts, amongst others) and translating this to a visualisation (*how*). Finally, Kingston and Macintosh [64] suggest a number of perspectives to be considered by knowledge management systems. They also mention the *why*, *what*, *how* and *for whom* perspectives, although the latter refers to the depictions of the actions of the agents in the visualisation, not the perspectives of the visualiser him or herself, or that of the audience. Their list also includes *where* and *when*, perhaps because their framework is specific to the activity visualisation context.

We thus propose our framework to inform the production of knowledge visualisations, with the following lenses: (1) the **WHY** (knower purpose), (2) the **WHAT** (knowledge within a particular context), (3) the **HOW** (visualisation), and (4) the **FOR WHOM** (audience) (Figure 2).

3.2 Systematic Literature Review

To commence, we first gauge research interest in the field, as reflected by the number of research publications in successive years.




Figure 2: Visualisation Framework: KnoWER has Knowledge (within Context), which he/she wishes to convey to an intended Audience. A visualisation is produced to ease and facilitate knowledge transfer.

We then proceed to report on a systematic literature review of knowledge visualisation research in order to appraise the current state of the field, as reflected by peer-reviewed publications over the last decade. Finally, we seek to capture the essence of communicative power by delineating the qualities effective visualisations exhibit that maximise this.

3.3 Research Activity

The field of knowledge visualisation is not as mature as the information visualisation field, as demonstrated by the number of research publications in each field over the past few years, shown in Figure 3.




Figure 3: Number of Information and Knowledge Visualisation Publications on Google Scholar per year (excluding Patents and Citations — search on 11/5/2019)

3.4 Systematic Literature Review of Knowledge Visualisation

Grant and Booth [47] published a typology based on the analysis of 14 review types; we elected to use a ‘systematic review’. This kind of review systematically searches for, appraises and synthesises

research evidence comprehensively, constrained by a clear set of criteria. The purpose of a systematic literature review is to gather published research in a rigorous and systematic way, to remove the irrelevant and redundant and to summarise the most applicable to capture the essence of the topic [47, 95]. We now detail the criteria we used in our review.

Choose Databases: Papers published in academic journals were collected from electronic databases, including ACM, IEEE Explore, Scopus, Springer, Web of Science and AISel.

Choose Keywords: Keywords used for the searches were ‘knowledge visualisation’ or ‘knowledge visualization’ and (‘model’ or ‘framework’).

Choose Time Range: The search was restricted to papers published in English, between 2010 and 2019.

Choose Inclusion and Exclusion Criteria: Blogs, patents, chapters, and inaccessible papers were excluded. Papers that presented a theoretical abstraction to help us to build a model or framework of knowledge visualisation were included.

Search & Record: For each paper, the following information was recorded: author(s), year of publication, journal or conference the paper appeared in. Each paper was categorised based on the *why*, the *what* (including context), the *how* and the *for whom* of knowledge visualisation.

Exclusion: Many papers reported on the simple use of a picture or a diagram for visualisation, but there was no theoretical abstraction involved in creating the model. These were excluded. Others created models of frameworks but these were not ‘knowledge’ visualisation frameworks, but rather aimed to inform information visualisation designers. Some authors appeared to conflate information and knowledge visualisation. We eliminated all information visualisation papers.

Analysis: The titles and abstracts of these papers were tabulated, after which the papers were read to derive the different themes.

We first worked through the papers in order to identify those that could help us to build our contextual framework, asking the *why*, *what* (& context), *how* and *for whom* questions.

Two authors then worked through each paper using these lenses to interrogate the knowledge visualisations. The formulations were entered into a table for each paper.

We used bottom-up coding so that the codes are suggested by the data, rather than making use of pre-existing labels from the literature. The labels were agreed upon by the authors and those with similar meaning combined to arrive at the categories depicted below.

Outcome: Table 1 shows how many papers were found, how many were eliminated, and how many were retained to support analysis.

Following the process depicted in Figure 2, we will present the themes that emerged related to the lenses of: the *why*, the *what* (including context), the *how* and the *for whom*.

WHY is Knowledge Visualised? (Designer). We assigned a descriptive label to each entry, and during this process the three categories emerged (Table 2). For example, we assigned *view* to those papers describing visualisations for read-only consumption.

Some publications motivate the use of visualisations, as opposed to the use of plain text (Table 3).

Table 1: Papers Identified from Databases

Database	Number	Rejected (Exclusion)	Analysed	Rejected (Off Topic)	Retained
IEEE	62	51	11	1	10
ACM	14	6	6	4	4
SCOPUS	58	3	54	16	38
Springer	57	41	13	7	6
Web of Science	43	39	3	1	2
AISeI	112	3	107	102	7

Table 2: WHY: Purpose of Knowledge Visualisation

VIEW:	
Knowledge transfer	[5, 8, 15, 20, 25, 30, 31, 43, 50, 53, 61, 73, 83, 87, 117, 129, 130].
EXPLORE-ENGAGE:	
Knowledge exploration & discovery	[2, 12, 49, 52, 60, 76, 108, 109]
Revealing different dimensions of knowledge	[46, 72, 93]
Reveal ontology	[40]
Mapping different kinds of knowledge	[75]
MANAGE-EXTEND:	
Knowledge organisation	[27, 28, 33, 55, 82, 126]
Knowledge manipulation	[23, 128]
Knowledge extension	[118]

Table 3: Why Visualisations (not text)?

Improve comprehension	[8, 27, 30, 33, 40, 43, 49, 53, 57, 60, 83, 93, 118, 129, 130]
To ease reuse	[108]
Stimulate imagination and new ideas	[20, 93, 117]
Improve access across platforms	[56]
Minimise redundancy, ambiguity	[30, 43]
Encourage development of mental models	[73, 126]
Engage people	[126]
To use modern tools	[51, 87]
Manage large data volumes	[78]
Cope with fast changing environments	[58]
Facilitate cross community learning	[92]

WHAT type of knowledge is being visualised? We used the categories proposed by Ward [119] to describe the kinds of knowledge being visualised since those had been tested through peer review and were more credible than newly-derived categories. This was the only dimension where Ward's categories could be applied to

this collection of publications. Other categories were newly derived from the data.

- (1) *Technical* [15, 20, 25, 28, 31, 43, 49, 51, 57, 70, 106, 117, 118, 122, 124, 125, 127, 128]
- (2) *Scientific* [5, 12, 40, 46, 52, 53, 55, 56, 60, 72, 73, 75, 93, 108, 109, 126, 129, 130].
- (3) *Practical Wisdom & Organisational* [2, 4, 8, 10, 23, 30, 33, 40, 50, 61, 76, 83, 85–87, 123].
- (4) *Personal: Health* [45, 67, 103], education [39].

Knowledge context: It is not helpful or appropriate to enumerate all possible contexts here. What is essential, however, is to ensure that the context is considered first and foremost, and pinned down by the knowledge visualiser.

HOW is knowledge visualised? Our coding of the papers revealed a relatively small number of visualisation techniques:

- (1) Knowledge map [33, 43, 70, 124].
- (2) Sketches and Diagrams [12, 25, 30, 31, 87, 123, 124, 127].
- (3) Visual metaphors [124, 126].
- (4) Google maps [56, 73, 127].
- (5) Flowcharts [50, 57].
- (6) Cognitive level map [2, 60, 83, 117, 118, 122, 125, 130].

FOR WHOM is the knowledge visualised (Audience). We assigned a descriptive label to each entry to reflect the primary consumer of the visualisation.

- (1) *Managers, directors, decision makers* [33, 43, 53, 123]
- (2) *Researchers and End-Users* [2, 8, 28, 46, 49, 56, 57, 70, 73, 75, 83, 93, 106, 109, 118, 122, 126, 127, 130].
- (3) *Practitioners* [20, 75].

We depict an overview of the activity reflected in the research literature in Figure 4. We next consider the literature on communicative power, since the framework seeks to support designers in maximising this essential quality in their visualisations.

3.5 Effectiveness (Communicative Power)

Visualisations can condense complex knowledge, facilitate comprehension and engage [11], and have significant *communicative power* [22]. Baule *et al.* [11, p. 2] state that “*A phenomenon, especially when complex, can be better analyzed, observed, and understood through the development of visual constructs*”. They claim that the strength of a visualisation lies in its ability to act as a mediator with explicative functions. The communicative power of a visualisation, then, measures this ability to impart the knowledge to an audience.

Researchers have specifically considered the *communicative power* of other artifacts, such as gestures [13], metaphors [104] and movement [112]. Gestures and movement, in particular, attempt to communicate without speech, which means they have lessons for us to learn in this context. Moreover, many visualisations will harness icons as metaphors, once again meaning we can benefit from their experiences. Investigations into the communicative power of visual artifacts have studied product packaging [114], health communication [9], speculative visualisation [63], the visualisation of ancient architectures [107] and information visualisation [89], to mention but a few.




Figure 4: Knowledge Visualisation Literature: Depicting lenses representing knowledge within context, for the purpose of [WHY] to communicate knowledge to [WHOM], by visualising the knowing [HOW]

Communicative power researchers suggest the following qualities of artifacts that maximise this quality:

The WHY (Designer): A visualisation, in essence, builds a visual rhetoric by using graphical elements to convey a message to a selected audience [69, 101].

The WHAT (Knowledge): In communicating without speech, as visualisations do, it is essential to consider exactly *what* is going to be communicated by the speech-less medium [59, 115]. This sounds obvious but, given the fact that no explanatory narrative is possible, choosing *what* to visualise and what to omit, is non-trivial.

The CONTEXT (Context): All knowledge is contextual [96] and such context should be made salient in the visualisation.

The HOW (Visualisation Qualities):

Clarity & Consistency: Strothotte *et al.* [107] highlight the importance of clarity in visualisations. There is a need for transparency of design so that audiences are not puzzled by the visualisation. This need is confirmed by [19, 24, 84, 94, 99]. Consistency is also crucially important to prevent confusion [19, 25].

Manning [79] explains that meaning depends on ultimate semantic units or components used in a visualisation. Gross [48] points out that common use should be respected. The example he cites is that an upward trending graph line depicts increasing quantity, the uppermost level in an organisational chart depicts the highest status. Gross points out the importance of symbol position and relative area, in terms of communicating values to the audience.

Aesthetics: This is critical for visualisations with communicative power [111] (cited by [9]). Kallick-Wakker [59] claims that it is the aesthetics of a visualisation that makes their representation appropriate. This is confirmed by [66, 89]. It is not, therefore, an optional add-on as one might intuitively think. Gavrilova *et al.* [44] review the cognitive aspects of knowledge diagram design,

aligning these with Gestalt psychology, towards producing aesthetic diagrams.

Text: Welles [42] highlights the importance of including descriptive text (he calls it a caption) within the image itself to ensure that the visualisation communicates its meaning effectively.

Simplicity: Welles [42] explains that humans tend to want to simplify things, because that makes them easier to process. He does warn, however, that simplification should not be taken too far. A visualisation that is simplified too extensively risks diluting its power to communicate and becoming obscure. This is confirmed by [44].

The FOR WHOM (Audience):

Anchor & Extend: A visual message communicates with an audience in two ways. The first is by 'hooking into' their own life experience, and the second by mediating their immediate experience with a brand package [114]. A visualisation with communicative power allows people to anchor within their own experience but then uses carefully chosen symbols to mediate their immediate experience [107] to build on, and extend their existing experiences. Along these same lines [63], in discussing speculative visualisation, talks about the visualisation "referencing established or accepted values and attributing those values to the new subject". This point is also made by [42], who argues that visualisations that are easy to objectify and anchor will be more favourably received.

Familiarity: This theme is strongly related to the previous one. Underwood *et al.* [114] explains that a visual message has to make the audience experience a sense of familiarity (personal experience). Welles [42] explains that the familiarity of a visualisation lends credibility to the subject matter. This requirement is confirmed by [24, 84, 110].

3.6 Summary

We have explored the core concepts of *knowledge visualisation* (Section 3.4) and *communicative power* (Section 3.5). Figure 4 provides an overview of the research activity revealed by the systematic literature review. Figure 5 summarises the communicative power quality constructs derived from the literature. We now have all the insights we need to outline our knowledge visualisation framework.

4 OUTCOME: FRAMEWORK

Using the insights from the analysis detailed in the previous sections, we derived the framework shown in Figure 5 to guide the production of knowledge visualisations.

The framework incorporates a three-stage process:

- (1) **Prepare** — Having decided WHY to visualise, the designer asks and answers questions about WHAT knowledge is to be visualised, and the CONTEXT within which it resides. Then the visualiser asks questions about WHOM the knowledge is being visualised for, because that informs the next stage.
- (2) **Design** — Having constrained the visualisation in the previous stage, the designer proceeds to craft the visualisation. In deciding on the HOW, it is important to maximise communicative power, so we carefully consider qualities that will achieve this.




Figure 5: Visualisation individual HOW & For WHOM Communicative Power Qualities, with Three Cross-Cutting Themes: CONTEXT, WHY & WHAT




Figure 6: The Framework: Designer prepares by considering the Knowledge within Context to be visualised for an intended Audience. Designer then designs a visualiation and refines it with members of said Audience.

(3) **Refine** — Kernbach and Nabergoj [62] argue for the need to refine a visualisation. Bertshi [14] suggests that the effectiveness of a knowledge visualization can be tested by asking someone seriously to examine the visualisation and to consider whether they understand the underlying circumstances and contexts in which they are produced and received (p. 343). This involves asking members of the targeted audience

to interrogate the visualisation [102, 121]. We have to determine whether they do indeed understand the knowledge within the context that it is conveying. They will be asked to evaluate the visualisation in terms of how well it communicates the knowledge i.e. its communicative power. It is likely that the designer will iterate between Stages 2 and 3 until the visualisation possesses the requisite power to communicate.

Framework Application

To illustrate the application of the framework, let us consider one of the most well-known and effective knowledge visualisations: the one designed and developed by Florence Nightingale (Figure 7). This visualisation was particularly effective, in that it changed the way military hospitals were run. If we imagine how she might have gone about creating her visualisation, it seems to align well with our framework:

Prepare:

- The **why** of deploying a visualisation was that she was crusading for better sanitation in hospitals. She knew that mere words would not work because she had previously written, in 1855, to Lord Raglan, the British commander in the Crimea [88]. General Sir John Burgoyne refused to believe her claims that the soldiers were dying of disease rather than being killed by soldiers from the other side. He claimed that the hospitals were in excellent order. It is likely that Florence Nightingale knew that she would have to use something more powerful to get those with political clout to take notice. In so doing, she became one of the pioneers of medical statistics [71].
- The **what** knowledge that Florence Nightingale had gained, from her work during the Crimean war, was that soldiers died from malnutrition, poor sanitation, and lack of activity [113]. The **context** of the knowledge was the military hospitals when Britain was at war.
- The **whom** were influential politicians [71] with the clout to make changes happen in military hospitals.

Design:

In terms of **how**, Florence Nightingale developed what is now called a ‘Coxcomb’ diagram (Figure 7). Nightingale’s graph is similar to a pie chart. The slices of the chart represent deaths in each of the twelve months of one year. The outward reach of each slice shows the number of deaths occurring in that month. The progression from the small slices in April, May and June of 1854 are starkly contrasted to the number of deaths after the troops landed in the Crimea.

If we consider how her diagram exhibits the design qualities depicted in Figure 5:

Familiarity: William Playfair is credited with inventing the pie chart in 1801 [97]. So, when Florence Nightingale was creating her Coxcomb over 50 years later, it is likely that the foundational chart would have been familiar to educated people. The Coxcomb chart thus builds on familiar territory.

Anchor & Extend: The charts depicted deaths of soldiers and when this chart was published it is likely that many people in Britain would have lost a family member or acquaintance during




Figure 7: Modified image of the first of the two Coxcomb Charts provided by Florence Nightingale in 1858 [90] (described by [74])

the recent war. This would have made it easier to anchor their interest. The context is provided by the title of the chart.

Include Text: this is included as a legend, and the slices are also helpfully labelled.

Aesthetics: When it comes to aesthetics this visualisation is particularly interesting. Gavrilova *et al.* [44] suggest that diagrams ought to be symmetrical, balanced, regular and complete. This, they explain, is because of the human preference for these kinds of shapes. Yet none of these terms describe Florence Nightingale’s Coxcomb. It is asymmetrical, irregular and unbalanced. Yet this diagram achieved its purpose: was it specifically designed to jar and make the intended audience take notice?

Clarity & Consistency: the diagram does not require any specialised knowledge of symbols, and does not confuse.

Simplicity: The linear graph in Figure 8 is simpler than the Coxcomb but loses some communicative power. The Coxcomb diagram is less simple but also not too complex. One of the most powerful aspects of the Coxcomb diagram is that each slice has three sections, very neatly communicating the causes of death: battle wounds, disease and ‘other’, and the ratios of each to the other.

Florence Nightingale’s diagrams made it impossible for the military to fool themselves about what the soldiers were dying from. Battle deaths were clearly outweighed by deaths from disease. When the military saw the chart, the modern army hospital system was born. Florence Nightingale’s charts were effective and had high communicative power.

5 CONCLUSION & FUTURE WORK

In this paper, we report on research we engaged in, in order to address the lack of guidance for knowledge communicators wishing to deploy knowledge visualisations to facilitate this communication.




Figure 8: (Rectangular diagram showing the mortality (extrapolated to an annual yearly basis per 1,000 wounded) at the army hospitals at Scutari and Kulali (near Constantinople) during the Crimean War, from October 1854 to September 1855. [snip] The dotted line indicates the yearly mortality rate in the army hospitals in London around the same time, which was 20.9 per thousand) Fig 5.4 replicated from [71, p. 21]

We used a systematic literature review to gauge research activity in this field and to flesh out the four lenses that ought to be used by knowledge visualisers in crafting their visualisations. Our primary

contribution is the proposed framework, comprised of three stages which, if followed, will improve the communicative power of knowledge visualisations. A next step with future research would be to formalise Stage 3 further. Moreover, we hope to carry out some experiments with knowledge visualisation designers themselves in order to validate the efficacy and value of our framework.

ACKNOWLEDGEMENTS

This paper is based on the research supported by the South African Research Chairs Initiative of the Department of Science and Technology and National Research (Grant No. 98564). We acknowledge the advice and assistance of Mr Sewisha Lehong in analysing the data.

REFERENCES

- [1] Andreas Abecker and Ludger van Elst. 2004. Ontologies for Knowledge Management. In *Handbook on Ontologies*, Steffen Staab and Rudi Studer (Eds.). Springer, Berlin, Germany, 435–454.
- [2] Rania Aboalela and Javed I Khan. 2015. Visualizing concept space of course content. In *2015 IEEE 7th International Conference on Engineering Education (ICEED)*. IEEE, Kanazawa, Japan, 160–165.
- [3] Maik Adom̄ent. 2013. Exploring universities' transformative potential for sustainability-bound learning in changing landscapes of knowledge communication. *Journal of Cleaner Production* 49 (2013), 11–24.
- [4] Toshiya Akasaka and Yusaku Okada. 2011. Balance between abstract principles and concrete instances in knowledge communication. In *International Conference on Engineering Psychology and Cognitive Ergonomics*. Springer, Las Vegas, NV, 285–293.
- [5] Ziad Al-Halah, Lukas Rybok, and Rainer Stiefelhagen. 2014. What to Transfer? High-Level Semantics in Transfer Metric Learning for Action Similarity. In *International Conference on Pattern Recognition*. IEEE, Stockholm, Sweden, 2775–2780.
- [6] Maryam Alavi and Dorothy E Leidner. 2001. Review: Knowledge management and knowledge management systems: Conceptual foundations and research issues. *MIS Quarterly* 25, 1 (2001), 107–136.
- [7] Vito Albino, A Claudio Garavelli, and Giovanni Schiuma. 1998. Knowledge transfer and inter-firm relationships in industrial districts: the role of the leader firm. *Technovation* 19, 1 (1998), 53–63.
- [8] Elitsa Alexander, Sabrina Bresciani, and Martin J Eppler. 2015. Knowledge scaffolding visualizations: A guiding framework. *Knowledge Management & E-Learning: An International Journal (KM&EL)* 7, 2 (2015), 179–198.
- [9] Jo Alexander and Sue Zeibland. 2006. The web—bringing support and health information into the home: the communicative power of qualitative research. *International Journal of Nursing Studies* 43, 4 (2006), 389–391.
- [10] M Barber and Sue Jackson. 2015. 'Knowledge Making': Issues in Modelling Local and Indigenous Ecological Knowledge. *Human Ecology* 43, 1 (2015), 119–130.
- [11] G Baule, P Ciuccarelli, D Ricci, and G Scagnetti. 2007. Reshaping communication design tools. Complex systems structural features for design tools. In *Emerging Trends in Design Research*. IASDR Conference Proceedings, Hong Kong, Hong Kong, 1–20.
- [12] Joachim Baumeister and Martina Freiberg. 2011. Knowledge visualization for evaluation tasks. *Knowledge and Information Systems* 29, 2 (2011), 349–378.
- [13] Geoffrey Beattie and Heather Shovelton. 2002. An experimental investigation of some properties of individual iconic gestures that mediate their communicative power. *British Journal of Psychology* 93, 2 (2002), 179–192.
- [14] Stefan Bertschi. 2007. Without Knowledge Visualization? Proposing a Deconstructivist Approach to Metaphor, Meaning and Perception. In *11th International Conference Information Visualization (IV'07)*. IEEE, Zürich, Switzerland, 342–347.
- [15] Rodrigo Bonacin, Olga Fernanda Nabuco, and Ivo Pierozzi. 2014. Modeling the Impacts of Agriculture on Water Resources: Semantic Interoperability Issues. In *23rd International International Conference on Enabling Technologies: Infrastructure for Collaborative Enterprises Conference (WETICE)*. IEEE, Parma, Italy, 447–452.
- [16] L Boulware, Lucy A Meoni, Nancy E Fink, Rulan S Parekh, WH Kao, Michael J Klag, and Neil R Powe. 2005. Preferences, Knowledge, Communication and Patient-Physician Discussion of Living Kidney Transplantation in African American Families. *American Journal of Transplantation* 5, 6 (2005), 1503–1512.
- [17] Sabrina Bresciani, Martin Eppler, Asha Kaul, and Riina Ylisen. 2011. The effectiveness of knowledge visualization for organizational communication in Europe and India. In *15th International Conference on Information Visualisation (IV)*. IEEE, London, UK, 365–370.
- [18] Sabrina Bresciani and Martin J Eppler. 2009. Beyond knowledge visualization usability: toward a better understanding of business diagram adoption. In *13th International Conference Information Visualisation*. IEEE, Barcelona, 474–479.
- [19] Sabrina Bresciani and Martin J Eppler. 2009. The risks of visualization: a Classification of Disadvantages Associated with Graphic Representations of Information. In *Identität und Vielfalt der Kommunikationswissenschaft UVK Verlagsgesellschaft mbH*, P.J Schulz, U. Hartung, and S Keller (Eds.). Citeseer, Konstanz (Germany), 165–178.
- [20] Sabrina Bresciani and Martin J Eppler. 2013. Knowledge Visualization for Social Entrepreneurs. In *17th International Conference on Information Visualisation (IV)*. IEEE, London, UK, 319–324.
- [21] Sabrina Bresciani and Martin J Eppler. 2015. The pitfalls of visual representations: a review and classification of common errors made while designing and interpreting visualizations. *Sage Open* 5, 4 (2015), 1–14.
- [22] Sabrina Bresciani, Jjianxin Ge, and Niu Yaru. 2014. The Effect of Knowledge Visualization on Attitude: Scale Development and Application in Europe and China. In *International Conference on Communication, Media, Technology and Design*. 24 - 26 April. Istanbul, Turkey, 275–283.
- [23] Luisa Brinkschulte, Arkadij Enders, Jonas Rebstadt, and Robert Mertens. 2016. Aspect-Oriented Mind Mapping and its Potential for Ontology Editing. In *Tenth International Conference on Semantic Computing (ICSC)*. IEEE, Laguna Hills, CA, USA, 194–201.
- [24] Remo Burkhard. 2005. *Knowledge Visualization: The Use of Complementary Visual Representations for the Transfer of Knowledge: a Model, a Framework, and Four New Approaches*. Ph.D. Dissertation. Swiss Federal Institute for Environmental Science and Technology.
- [25] Remo Aslak Burkhard. 2005. Towards a framework and a model for knowledge visualization: Synergies between information and knowledge visualization. In *Knowledge and Information Visualization*, S-O Tergan and T Keller (Eds.). Springer, Tübingen, Germany, 238–255.
- [26] Alberto J Cañas, Roger Carff, Greg Hill, Marco Carvalho, Marco Arguedas, Thomas C Eskridge, James Lott, and Rodrigo Carvajal. 2005. Concept maps: Integrating knowledge and information visualization. In *Knowledge and Information Visualization*. Springer, Tübingen, Germany, 205–219.
- [27] Nadia Catenazzi and Lorenzo Sommaruga. 2011. Experiences of knowledge visualization in semantic web applications. In *Advances in Intelligent Web Mastering-3*. Springer, Fribourg, Switzerland, 49–59.
- [28] Nadia Catenazzi and Lorenzo Sommaruga. 2013. Generic environments for knowledge management and visualization. *Journal of Ambient Intelligence and Humanized Computing* 4, 1 (2013), 99–108.
- [29] Daniel Chang, Yuankai Ge, Shiwei Song, Nicole Coleman, Jon Christensen, and Jeffrey Heer. undated. Visualizing the republic of letters. <http://www.shiweisong.com/files/rpl.pdf> Accessed May 2018.
- [30] Anitha Chennamaneni and James TC Teng. 2011. An Integrated Framework for Effective Tacit Knowledge Transfer. In *Americas Conference on Information Systems (AMCIS)*. 8 August. AIS, Detroit, Michigan, USA, 1–10.
- [31] Alice Comi and Martin J Eppler. 2011. Visual representations as carriers and symbols of organizational knowledge. In *Proceedings of the 11th International Conference on Knowledge Management and Knowledge Technologies*. ACM, Graz, Austria, 8:1–8:7.
- [32] Hongxing Du. 2018. *The employment of knowledge visualisation to facilitate tacit knowledge sharing*. Ph.D. Dissertation. Management Systems, University of Waikato.
- [33] Aurélie Duzert and Dorothy E Leidner. 2011. Illusions of control and social domination strategies in knowledge mapping system use. *European Journal of Information Systems* 20, 5 (2011), 574–588.
- [34] Buthayna Eilouti. 2018. Concept as a Bridge between Abstraction and Concretization in Design Knowledge Visualization. In *22nd International Conference Information Visualisation (IV)*. IEEE, Salerno, Italy, 407–412.
- [35] Louis Engelbrecht, Adele Botha, and Ronell Alberts. 2015. Designing the Visualization of Information. *International Journal of Image and Graphics* 15, 02 (2015), 1540005.
- [36] M Eppler. 2007. Knowledge communication problems between experts and decision makers: An overview and classification. *The Electronic Journal of Knowledge Management* 5, 3 (2007), 291–300.
- [37] Martin J Eppler and Remo A Burkhard. 2006. Knowledge visualization. In *Encyclopedia of Knowledge Management*. IGI Global, London, UK, 551–560.
- [38] Martin J Eppler and Remo A Burkhard. 2007. Visual representations in knowledge management: framework and cases. *Journal of Knowledge Management* 11, 4 (2007), 112–122.
- [39] Olakumbi A Fadiran, Judy Van Biljon, and Marthie A Schoeman. 2018. How can visualisation principles be used to support knowledge transfer in teaching and learning?. In *Conference on Information Communications Technology and Society (ICTAS)*. IEEE, Durban, South Africa, 1–6.
- [40] Quan Fang, Changsheng Xu, Jitao Sang, M Shamim Hossain, and Ahmed Ghoneim. 2016. Folksonomy-Based Visual Ontology Construction and Its Applications. *IEEE Transactions on Multimedia* 18, 4 (2016), 702–713.

- [41] Gerhard Fischer and Jonathan Ostwald. 2005. Knowledge communication in design communities. In *Barriers and Biases in Computer-Mediated Knowledge Communication*, Rainer Bromme, Friedrich Hesse, and Hans Spada (Eds.). Springer, New York, USA, 213–242.
- [42] Brooke Foucault Welles and Isabel Meirelles. 2015. Visualizing Computational Social Science: The Multiple Lives of a Complex Image. *Science Communication* 37, 1 (2015), 34–58.
- [43] Tatiana Gavrilova, Artem Alsufyev, and Margarita Gladkova. 2015. Perceptual factors in knowledge map visual design. In *Proceedings of the 15th International Conference on Knowledge Technologies and Data-driven Business*. ACM, Graz, Austria, 39:1–4.
- [44] Tatiana Gavrilova, Dmitry Kudryavtsev, and Elvira Grinberg. 2019. Aesthetic Knowledge Diagrams: Bridging Understanding and Communication. In *Knowledge Management, Arts, and Humanities*, Meliha Handzic and Daniela Carlucci (Eds.). Springer, Switzerland, 97–117.
- [45] Jianxin Ge, Sabrina Bresciani, and Hongjia Xu. 2018. Visual Representations of Knowledge for Strategy Communication. In *Handbook of Chinese Management*, C T Foo (Ed.). Springer, Singapore, 1–14.
- [46] Michael Gleicher. 2013. Explainers: Expert explorations with crafted projections. *IEEE Transactions on Visualization and Computer Graphics* 19, 12 (2013), 2042–2051.
- [47] Maria J Grant and Andrew Booth. 2009. A typology of reviews: an analysis of 14 review types and associated methodologies. *Health Information & Libraries Journal* 26, 2 (2009), 91–108.
- [48] Alan G Gross. 1990. Extending the expressive power of language: Tables, graphs, and diagrams. *Journal of Technical Writing and Communication* 20, 3 (1990), 221–235.
- [49] Qianyi Gu, Faisal Ahmad, and Tamara Sumner. 2010. Improving Conceptual Learning through Customized Knowledge Visualization. In *Third International Conference on Knowledge Discovery and Data Mining (WKDD'10)*. IEEE, Newport Beach, California, 407–410.
- [50] Andreas Hall and Kirsi Virrantaus. 2016. Visualizing the workings of agent-based models: Diagrams as a tool for communication and knowledge acquisition. *Computers, Environment and Urban Systems* 58 (2016), 1–11.
- [51] Neil Hall, Henning Koehler, Sebastian Link, Henri Prade, and Xiaofang Zhou. 2015. Cardinality constraints on qualitatively uncertain data. *Data & Knowledge Engineering* 99 (2015), 126–150.
- [52] Seungchan Han, Bonjung Koo, Andreas Hutter, Vinay Shet, and Walter Stechele. 2010. Subjective logic based hybrid approach to conditional evidence fusion for forensic visual surveillance. In *Seventh IEEE International Conference on Advanced Video and Signal Based Surveillance (AVSS)*. IEEE, Boston, USA, 337–344.
- [53] Timothy Hanratty, Robert J Hammell, John Yen, Michael McNeese, Sooyoung Oh, Hyun-Woo Kim, Dev Minotra, Laura Strater, Haydee Cuevas, and Dan Colombo. 2009. Knowledge visualization to enhance human-agent situation awareness within a computational recognition-primed decision system. In *MIL-COM Military Communications Conference*. IEEE, Boston, Massachusetts, USA, 1–7.
- [54] Julie Hermans and Annick Castiaux. 2017. Contingent knowledge transfers in university–industry R&D projects. *Knowledge Management Research & Practice* 15, 1 (2017), 1–10.
- [55] Christian Hirsch, John Hosking, John Grundy, Tim Chaffe, David MacDonald, and Yuriy Halysky. 2009. The visual wiki: A new metaphor for knowledge access and management. In *42nd Hawaii International Conference on System Sciences, HICSS'09*. IEEE, Big Island, HI, USA, 1–10.
- [56] Ricardo Hoar. 2010. A personalized web based public transit information system with user feedback. In *13th International IEEE Conference on Intelligent Transportation Systems (ITSC)*. IEEE, Funchal, Madeira Island, Portugal, 1807–1812.
- [57] C Johansson, J Frostevar, AFH Kaplan, M Bertoni, and Koteswar Chirumalla. 2012. Enhancing intra-cognitive communication between engineering designers and operators: A case study in the laser welding industry. In *3rd International Conference on Cognitive Infocommunications (CogInfoCom)*. IEEE, Kosice, Slovakia, 493–497.
- [58] Janine Joubert and Jean-Paul Van Belle. 2016. An Innovation and Risk Dashboard. In *Mediterranean Conference on Information Systems (MCIS) Proceedings, 4-6 September*. AIS, Cyprus, Greece, 14:1–14:14.
- [59] Ingrid Kallik-Wakker. 1994. Science icons: the visualization of scientific truths. *Leonardo* 27, 4 (1994), 309–315.
- [60] Bernard Kamsu-Foguem, Germaine Tchuenté-Foguem, and Clovis Foguem. 2014. Using conceptual graphs for clinical guidelines representation and knowledge visualization. *Information Systems Frontiers* 16, 4 (2014), 571–589.
- [61] Mounir Kehal and Adel Al Araifi. 2013. Knowledge Diffusion via AUTomated Organizational CARTography [AUTOCART]. In *UK Academy for Information Systems Conference Proceedings*. AIS, Liverpool, 20:1–20:24.
- [62] Sebastian Kernbach and Anja Svetina Naberjog. 2018. Visual Design Thinking: Understanding the role of knowledge visualization in the design thinking process. In *22nd International Conference Information Visualisation (IV)*. IEEE, Fisciano, Italy, 362–367.
- [63] Tanyoung Kim and Carl DiSalvo. 2010. Speculative visualization: A new rhetoric for communicating public concerns. In *Proceedings of the Design Research Society (DRS) international conference design & complexity*. Montreal, Canada.
- [64] John Kingston and Ann Macintosh. 2000. Knowledge management through multi-perspective modelling: representing and distributing organizational memory. In *Proceedings of ES99, the Nineteenth SGES International Conference on Knowledge-Based Systems and Applied Artificial Intelligence*. Springer, Cambridge, UK, 221–239.
- [65] Joris Klerkx, Katrien Verbert, and Erik Duval. 2014. Enhancing learning with visualization techniques. In *Handbook of Research on Educational Communications and Technology*, J. Michael Spector, M. David Merrill, Jan Elen, and M. J. Bishop (Eds.). Springer, 791–807.
- [66] Ozgen Korkmaz. 2009. Primary perceptual field in visual materials. *The Social Sciences* 4, 5 (2009), 525–533.
- [67] Lu L. and Zhao W. 2018. Augmented Reality: New Technologies for Building Visualized Hospital Knowledge Management Systems. In *Smart Health. ICSH. Lecture Notes in Computer Science, vol 10983*, Chen H, Fang Q, Zeng D, and Wu J (Eds.). Springer, Wuhan, China, 15–25.
- [68] Bruno Latour. 2005. *Reassembling the social: An introduction to actor-network-theory*. Oxford University Press, New York, USA.
- [69] Bongshin Lee, Rubaiat Habib Kazi, and Greg Smith. 2013. Sketchstory: Telling more engaging stories with data through freeform sketching. *IEEE Transactions on Visualization and Computer Graphics* 19, 12 (2013), 2416–2425.
- [70] Dongwon Lee, Jaejeung Kim, and Howon Lee. 2010. Collective intelligence based collaborative learning platform. In *International Conference on Information and Communication Technology Convergence (ICTC)*. IEEE, Jeju, South Korea, 553–554.
- [71] Paul J Lewi. 2006. Florence Nightingale and Polar Area Diagrams. In *Speaking of graphics*. Chapter 5. <http://www.datascope.be/sog/SOG-Chapter5.pdf> Accessed 16 June 2019.
- [72] Bin Li, Xingquan Zhu, Ruijiang Li, and Chengqi Zhang. 2015. Rating Knowledge Sharing in Cross-Domain Collaborative Filtering. *IEEE Transactions on Cybernetics* 45, 5 (2015), 1068–1082.
- [73] Guangzheng Li, Wei Ren, and Huimin Lu. 2009. Modelling Knowledge Learning Based on Extended Topic Map. In *International Conference on Computational Intelligence and Software Engineering (CISE 2009)*. IEEE, Wuhan, China, 1–4.
- [74] John H. Lienhard. undated. Nightingale's Graph. <http://www.uh.edu/engines/epi1712.htm> on 2 August 2017.
- [75] Sin-Jin Lin and Ming-Fu Hsu. 2014. Incorporated risk metrics and hybrid AI techniques for risk management. *Neural Computing and Applications* 28, 11 (2014), 3477–3489.
- [76] Xiao Liu and Jun Wang. 2014. A Modeling and Analysis Framework for Knowledge System Based on Meta-Network Approach. In *Wuhan International Conference on e-Business (WHICEB)*. AIS, Wuhan, China, 14:1–14:9.
- [77] Wei Luo, Marcus Gallagher, Di O'Kane, Jason Connor, Mark Dooris, Col Roberts, Lachlan Mortimer, and Janet Wiles. 2010. Visualising a state-wide patient data collection: a case study to expand the audience for healthcare data. In *Proceedings of the Fourth Australasian Workshop on Health Informatics and Knowledge Management-Volume 108*. Australian Computer Society, Inc., Brisbane, Australia, 45–52.
- [78] Mark Lycett and Alaa Marshan. 2016. Capturing Sensemaking Pattern during Data Analysis: A Conceptual Framework. In *25th International Conference on Information Systems Development (ISD2016)*. AIS, Katowice, Poland.
- [79] Alan D Manning. 1989. The semantics of technical graphics. *Journal of Technical Writing and Communication* 19, 1 (1989), 31–51.
- [80] L Manovich. 2007. Cultural analytics: analysis and visualization of large cultural data sets. *Software Studies Initiative [Electronic resource]* (2007). <http://manovich.net/index.php/projects/cultural-analytics-visualizing-cultural-patterns> Accessed 15 June 2019.
- [81] Roberto Martinez, Anthony Collins, Judy Kay, and Kalina Yacef. 2011. Who did what? Who said that? Collaid: an environment for capturing traces of collaborative learning at the tabletop. In *Proceedings of the ACM International Conference on Interactive Tabletops and Surfaces*. ACM, Kobe, Japan, 172–181.
- [82] İhsan Tolga Medeni, Serhat Peker, and Mehmet Erhan Uyar. 2011. A knowledge visualization model for evaluating Internet news agencies on conflicting news. In *MIPRO, Proceedings of the 34th International Convention*. IEEE, Opatija, Croatia, 850–853.
- [83] Tunc Medeni, Serbüent Ünsal, Meryem Ayas, and İhsan Tolga Medeni. 2011. Tacit knowledge extraction for software requirement specification (SRS): a proposal of research methodology design and execution for knowledge visualization. In *Proceedings of the 5th Annual Meeting of the ISSS-2011*. Vol. 55. Curran Associates, Hull, UK, 20.
- [84] Daniel L Moody. 2009. The “physics” of notations: toward a scientific basis for constructing visual notations in software engineering. *IEEE Transactions on Software Engineering* 35, 6 (2009), 756–779.
- [85] Ahsan Morshed, Pei-Wei Tsai, Prem Prakash Jayaraman, Timos Sellis, Dimitrios Georgakopoulos, Sam Burke, Shane Joachim, Ming-Sheng Quah, Stefan Tsvetkov, Jason Liew, and Corey Jenkins. 2019. VisCrime: A Crime Visualisation

- System for Crime Trajectory from Multi-Dimensional Sources. In *Proceedings of the Twelfth ACM International Conference on Web Search and Data Mining (WSDM '19)*. ACM, Melbourne VIC, Australia, 802–805.
- [86] Navonil Mustafee. 2011. Evolution of IS research based on literature published in two leading IS journals-EJIS and MISQ. In *European Conference on Information Systems (ECIS)*. Helsinki, Finland. <https://aisel.aisnet.org/ecis2011/228> Accessed 16 June 2019.
- [87] Nuur Shuhada Mohd Najib, Alex Tze Hiang Sim, and Jee Mei Hee. 2016. Cloud Computing Opportunities: Enhancing Interactive Visual Content Usage in Higher Education Learning. In *PACIS. June 27 - July 1*. Chiayi, Taiwan.
- [88] National Army Museum. undated. Florence Nightingale: The Lady with the Lamp. <https://www.nam.ac.uk/explore/florence-nightingale-lady-lamp> Accessed 15 June 2019.
- [89] Robert Newell, Ann Dale, and Celia Winters. 2016. A picture is worth a thousand data points: Exploring visualizations as tools for connecting the public to climate change research. *Cogent Social Sciences* 2, 1 (2016), 22.
- [90] Florence Nightingale. 1858. Notes on Matters Affecting the Health, Efficiency and Hospital Administration of the British Army. <https://archive.org/details/b20387118/page/n8> Accessed 15 June 2019.
- [91] Ikujiro Nonaka and Ryoko Toyama. 2003. The knowledge-creating theory revisited: knowledge creation as a synthesizing process. *Knowledge Management Research & Practice* 1, 1 (2003), 2–10.
- [92] Jasminko Novak and Michael Wurst. 2005. Collaborative knowledge visualization for cross-community learning. In *Knowledge and Information Visualization*. Springer, Tübingen, Germany, 95–116.
- [93] Ionut Cristian Paraschiv, Mihai Dascalu, Stefan Trausan-Matu, and Philippe Dessus. 2015. Analyzing the Semantic Relatedness of Paper Abstracts: An Application to the Educational Research Field. In *20th International Conference on Control Systems and Computer Science*. IEEE, Bucharest, Romania, 759–764.
- [94] Gabriele Peters. 2007. Aesthetic primitives of images for visualization. In *11th International Conference on Information Visualization (IV'07)*. WorldCat, Zürich, Switzerland, 316–325.
- [95] Catherine Pickering and Jason Byrne. 2014. The benefits of publishing systematic quantitative literature reviews for PhD candidates and other early-career researchers. *Higher Education Research & Development* 33, 3 (2014), 534–548. <https://doi.org/10.1080/07294360.2013.841651> arXiv:<http://dx.doi.org/10.1080/07294360.2013.841651>
- [96] William Pike and Mark Gahegan. 2007. Beyond ontologies: Toward situated representations of scientific knowledge. *International Journal of Human-Computer Studies* 65, 7 (2007), 674–688.
- [97] William Playfair. 2005. *Playfair's commercial and political atlas and statistical breviary*. Cambridge University Press.
- [98] Karen Renaud and Judy van Biljon. 2017. Charting the Path towards Effective Knowledge Visualisations. In *SAICSIT*. Bloemfontein, South Africa. 26-28 September.
- [99] Penny Rheingans and Chris Landreth. 1995. Perceptual principles for effective visualizations. In *Perceptual Issues in Visualization*, Georges Grinstein and Bruno Waldvogel (Eds.). Springer, Lowell, USA, 59–73.
- [100] Bonnie Rubenstein-Montano, Jay Liebowitz, Judah Buchwalter, Doug McCaw, Butler Newman, Ken Rebeck, and The Knowledge Management Methodology Team. 2001. A systems thinking framework for knowledge management. *Decision Support Systems* 31, 1 (2001), 5–16.
- [101] Gaia Scagnetti. 2011. Visual Epistemology for Communication Design Education. In *Conference: DesignEd Asia Conference 2011 Business of Design Week (BODW)*. Hong Kong Convention & Exhibition Center, Hong Kong.
- [102] Hansi Senaratne, Lydia Gerharz, Edzer Pebesma, and Angela Schwing. 2012. Usability of spatio-temporal uncertainty visualisation methods. In *Bridging the Geographic Information Sciences*. Springer, Avignon, France, 3–23.
- [103] Vishakha Sharma, Andrew Stranieri, Sally Firmin, Heather Mays, and Frada Burstein. 2018. Approaches for the Visualization of Health Information. In *Proceedings of the Australasian Computer Science Week Multiconference (ACSW '18)*. ACM, New York, NY, USA, Article 23, 9 pages. <https://doi.org/10.1145/3167918.3167958>
- [104] Pnina Shinebourne and Jonathan A Smith. 2010. The communicative power of metaphors: An analysis and interpretation of metaphors in accounts of the experience of addiction. *Psychology and Psychotherapy: Theory, Research and Practice* 83, 1 (2010), 59–73.
- [105] Steven Sloman and Philip Fernbach. 2017. *The Knowledge Illusion: Why We Never Think Alone*. Riverhead Books, New York.
- [106] Maria Sokhn, Elena Mugellini, and Omar Abou Khaled. 2010. Knowledge modeling for enhanced information retrieval and visualization. In *Advances in Intelligent Web Mastering-2*. Springer, Prague, Czech, 199–208.
- [107] Thomas Strothotte, Maic Masuch, and Tobias Isenberg. 1999. Visualizing knowledge about virtual reconstructions of ancient architecture. In *Proceedings Computer Graphics International*. IEEE, Canmore, Canada, 36–43.
- [108] Sam Supakkul and Lawrence Chung. 2010. Visualizing non-functional requirements patterns. In *Fifth International Workshop on Requirements Engineering Visualization (REV)*. IEEE, Sydney, Australia, 25–34.
- [109] Dan Andrei Sitar Tăut, Christian Săcărea, and Adela Viviana Sitar Tăut. 2015. Knowledge visualization for supporting communication in cardiovascular risk assessment hypotheses. In *23rd International Conference on Software, Telecommunications and Computer Networks (SoftCOM)*. IEEE, Split - Bol, 249–253.
- [110] Niek Tax. 2012. Towards Understanding the Understandability of Diagrams. In *Proceedings of the 16th Twente Student Conference on IT*. Enschede, The Netherlands.
- [111] Leslie Todres. 1998. The qualitative description of human experience: The aesthetic dimension. *Qualitative Health Research* 8, 1 (1998), 121–127.
- [112] Suzi Tortora. 2005. *The Dancing Dialogue: Using the Communicative Power of Movement with Young Children*. Redleaf Press, MN, USA.
- [113] Understanding Uncertainty. 2008. Nightingale's 'Coxcombs'. <https://understandinguncertainty.org/coxcombs> Accessed 15 June 2019.
- [114] Robert L Underwood. 2003. The communicative power of product packaging: creating brand identity via lived and mediated experience. *Journal of Marketing Theory and Practice* 11, 1 (2003), 62–76.
- [115] Frank Van Harmelen, Jeen Broekstra, Christiaan Fluit, Herko ter Horst, Arjoun Kampman, Jos Van der Meer, and Marta Sabou. 2001. Ontology-based information visualisation. In *Proceedings Fifth International Conference on Information Visualisation*. ACM, London, England, 546–554.
- [116] Minhong Wang, Jun Peng, Bo Cheng, Hance Zhou, and Jie Liu. 2011. Knowledge visualization for self-regulated learning. *Educational Technology & Society* 14, 3 (2011), 28–42.
- [117] Xiao-yue Wang and Yan Mu. 2009. The Using of Knowledge Visualization Tools in E-science Environment Take Concept Maps for Example. In *International Conference on Control, Automation and Systems Engineering*. IEEE, Zhangjiajie, China, 39–42.
- [118] Xiao-Yue Wang and Yan Mu. 2009. Visualization based on concept maps: An efficient way to knowledge sharing and knowledge discovery in e-science environment. In *Sixth International Conference on Fuzzy Systems and Knowledge Discovery FSKD'09*, Vol. 2. IEEE, Tianjin, China, 144–147.
- [119] V. L Ward. 2017. Why, whose, what and how? A framework for knowledge mobilisers. *Evidence and Policy* 13, 3 (2017), 477–497.
- [120] Gernot Wersig. 1993. Information science: the study of postmodern knowledge usage. *Information Processing & Management* 29, 2 (1993), 229–239.
- [121] Victoria Wibeck. 2014. Enhancing learning, communication and public engagement about climate change—some lessons from recent literature. *Environmental Education Research* 20, 3 (2014), 387–411.
- [122] Lihua Xu, Read Diket, and Thomas Brewer. 2015. Bringing the arts as data to visualize how knowledge works. In *Big Data: Concepts, Methodologies, Tools, and Applications*. IGI Global, USA, Chapter 75, 515–534.
- [123] Suraya Ya'acob, Nazlena Mohamad Ali, and Norshita Mat Nayan. 2013. Understanding Big Picture and Its Challenges: Experts and Decision Makers Perspectives. In *International Visual Informatics Conference*. Springer, Selangor, Malaysia, 311–322.
- [124] Mo Yong-hua and Wei Wen-zhan. 2011. A framework of the Layered Grammar for Visualization. In *International Conference on Electrical and Control Engineering (ICECE)*. IEEE, Yichang, China, 6209–6212.
- [125] Mohamad Yusrizal Mohamed Yusoff, Jafreezal Jaafar, and Ahmad Kamil Mahmood. 2011. KM practice in Community College: Knowledge visualization in KM framework. In *National Postgraduate Conference (NPC)*. IEEE, Perak, Malaysia, 1–5.
- [126] Zarwina Yusoff and Halina Mohamed Dahlan. 2013. Mobile based learning: An integrated framework to support learning engagement through Augmented Reality environment. In *International Conference on Research and Innovation in Information Systems (ICRIIS)*. IEEE, Kuala Lumpur, Malaysia, 251–256.
- [127] Zarwina Yusoff, Siti Aminah Katmon, Mohammad Nazir Ahmad, and Siti Hidayah Mohd Miswan. 2013. Visual Representation: Enhancing Students' Learning Engagement through Knowledge Visualization. In *International Conference on Informatics and Creative Multimedia (ICIM)*. IEEE, Kuala Lumpur, Malaysia, 242–247.
- [128] Longwen Zhao and Xiaohui Huang. 2009. The Study about Enterprise Knowledge Management Model Based on TRIZ. In *International Conference on Management and Service Science (MASS)*. IEEE, Wuhan, China, 1–4.
- [129] Yigang Zhou. 2011. Towards ontology-based knowledge visualization. In *International Conference on Asian Digital Libraries*. Springer, Bangkok, Thailand, 288–291.
- [130] Xiaowen Zhu and Yinglin Wang. 2009. A Relation Combination Model for Knowledge Maps. In *International Conference on Information Engineering and Computer Science*. IEEE, Wuhan, China, 1–5.