Palliative Medicine Reports Volume 2.1, 2021 DOI: 10.1089/pmr.2021.0031 Accepted December 1, 2021



Open camera or QR reader and scan code to access this article and other resources online.



BRIEF REPORT Open Access

Interior Design:

A New Perspective in Supportive Care of Patients with Acute Onset of Debilitating Diseases

AU2 ► AU1 ► Davide Mauri, 1,*, Eleftherios Kampletsas, George Smyris, Lampriani Tsali, Periklis Tsekeris, Haralampos Harissis, Konstantinos Kamposioras, Maria Tolia, Thomas Hyphantis, Panagiotis Ntellas, Ioanna Gazouli, Georgios Zarkavelis, Leonidas Mavroeidis, Anna-Lea Amylidi, Nanteznta Torounidou, Aristeidis Gogadis,¹ and Joanna Nixon⁶

Abstract

Background: Upon the onset of a debilitating rapidly evolving condition (such as cancer or a rapidly progressing myopathy, neuropathy, respiratory disease, or a severe traumatic injury), individuals have limited time to find a new home or make radical structural modifications in their residence. How the affected patients can continue sharing the same house with their families, while meeting their own special requirements, is thus rising as a critical issue. Household and daily routine rearrangements, either temporary or permanent, may be necessary, to ameliorate the life of patients with impairments, lasting for months or even years.

Objectives: Interior design may timely provide a highly efficient "living" palliation for debilitating medical conditions directly at patients' home-site.

Methods: Research of relevant literature, using keywords as "debilitating conditions," "home care," "end of life care," "care of advanced cancer patients," "care of patients with mental disorders," "home care of covid-19 affected patients," and "care of patients with degenerative illnesses."

Results: We found out that patients and their relatives may not be aware of the probable interior design solutions to their daily life challenges, imposed by a disease-related impairment. In parallel, interior design experts may equally be unaware of these issues, as well as of who is in need of the available solutions.

Similarly, medical and architectural sciences are not connected, eventually failing to meet patients' everyday needs.

¹Department of Medical Oncology, Psychiatry, Radiotherapy and Surgery, University Hospital of Joannina, Joannina, Greece,

AU3
²Architecture Faculty, University of Ioannina, Ioannina, Greece.

³PACMeR, Department of Evidence Based Medicine, Athens, Greece.

⁴Department of Medical Oncology, The Christie NHS Foundation Trust, Manchester, United Kingdom.

⁵Department of Radiotherapy, School of Medicine, University of Crete, Heraklion, Greece.

⁶Scottish Sarcoma Network (SSN) UK Chair NCRIHN Epidemiology and Survivorship Subgroup, The Beatson West of Scotland Cancer Centre, Glasgow, United Kingdom. ⁱORCID ID (https://orcid.org/0000-0002-8501-5986).

AU4 *Address correspondence to: Davide Mauri, MD, PhD, Department of Medical Oncology, Psychiatry, Radiotherapy and Surgery, University Hospital of Ioannina, S. Niarchos Avenue, Ioannina 45500, Greece, E-mail: dvd.mauri@gmail.com

© Davide Mauri et al., 2021; Published by Mary Ann Liebert, Inc. This Open Access article is distributed under the terms of the Creative Commons License [CC-BY] (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Mauri, et al.; Palliative Medicine Reports 2021, 2.1 http://online.liebertpub.com/doi/10.1089/pmr.2021.0031

Conclusions: Interior architecture and health scientists are called to cooperate, aiming to provide a highly efficient and meaningful support to patients and families affected by unforeseen debilitating medical conditions.

Keywords: aging population; debilitating diseases; functional indoor space; interior design; medical care; supportive care

Introduction

Interior design is the art and science of making indoor space functional, healthier, aesthetically attractive, and safe by determining space requirements and selecting both decorative and essential living items. The science of interior design has an established and long-lasting tradition in medical care, addressing the need for vital health infrastructures such as hospitals, clinics, and ambulatory departments. During the past decade, interior design applications are expanding to the home-care setting due to the globally aging population. Between 2015 and 2050, the proportion of the world's population >60 years old will nearly double, increasing from 12% to 22%, whereas the proportion of people >60 versus adolescents and young adults aged 10 to 24 will be 2.1 versus 2.0 billion. 3,4

This is going to create a need for house environment interventions, aiming to serve the physical, psychological, and emotional well-being of the elderly, while helping them maintain or regain their independence and autonomy, all of which promote longevity. Thus, developed countries are expanding on both the typology of their homes for aged individuals, and services they offer for people with long-lasting debilitating chronic diseases such as Alzheimer's disease. Alzheimer's

However, similar problems arise while facing the abrupt onset of a debilitating and long-lasting health condition, even among younger populations. In this setting, debilitated individuals and their families have limited time to find a new home or make radical structural modifications in their residence. Consequently, there is a question of how the affected members can carry on living with their families, while meeting their own emerging needs for specialized facilities, required throughout their daily routine; the time factor is also to be considered, given that these living arrangements may be needed for an interval ranging from months to years. ^{11,12}

Of note, the onset of debilitating clinical conditions (due to cancer or a rapidly evolving myopathy, neuropathy, respiratory disease, or a severe traumatic injury) is generally not expected among young and middleaged individuals; therefore, housing and household necessities cannot be arranged in advance.

In this article, we attempt to perform an explanatory literature review of published articles applicable to the aforementioned problematics, aiming to estimate the current level of relevant awareness and communication, among patients, their families, and health professionals.

Methods

We performed a scoping literature review, searching PubMed database by the following key words: "interior design," "debilitating conditions," "home care," "end of life care," "care of advanced cancer patients," "care of patients with mental disorders," "home care of covid-19 affected patients," and "care of patients with degenerative illnesses." We selected articles published between 2000 and 2020, focusing on clinical trials and reviews. We did not exclude articles published in not peerreviewed medical journals. We ended up including 24 articles.

Results

Introduction

Professional assessment of housing conditions of debilitated patients has already been established. For example, in the United Kingdom, debilitated patients are systematically assessed by occupational therapists, to suggest the housing modifications that may be needed, leading to favorable outcomes for the affected patients. ¹³ In this same context, it has been suggested that alternative interior design techniques may provide timely and effective solutions without permanently impacting the mural house domains. But at which pace can these designing solutions be employed? Internal architecture designers may promptly provide solutions once a particular need is identified, as it happened in the cases of COVID pandemic and mental disorders. ^{14–19}

COVID-19 pandemic

In 2020, COVID pandemic brought about unprecedented changes to the humanity. The long-lasting

Mauri, et al.; Palliative Medicine Reports 2021, 2.1 http://online.liebertpub.com/doi/10.1089/pmr.2021.0031

no-gather and stay-at-home guidance, as well as self and environmental measures, ^{14,15} led to collectively spending far more time in-house than we had ever anticipated, with notable impact on home-working, home-living spaces, and psychological well-being. Self-isolation for individual protection from a confirmed case in the same household was and remains an ongoing challenge for 2021. For these reasons home internal design measures had been suggested by specialized professionals. Environmental hygiene was thereafter promoted with the use of antibacterial materials with hygienic properties (copper, brass, and bronze materials, quartz, and wood from bamboo, oak, and cork). The needs of psychological wellbeing, working at home, and quarantining can be answered by separating areas and creating sanitary spaces offering a sense of security, calmness and relaxation, covering all the aforementioned needs. 16-18

Mental disorders

Mental disorders represent a major medical and social issue, frequently correlated with severe distress, functional disabilities, and heavy economical burdens. The impact of interior design interventions on schizophrenia, anxiety, stress-related disorders, bipolar disorder, depression, and dementia has been explored in various reviews and clinical trials. 19-22 Minimalistic interior design, with removal of attention distracting objects, hiding or stressing key features, regulating sunlight exposure, space for practicing yoga, and roofs allowing the observation of the outside landscape have been employed to facilitate the healing of mentally ill patients. 19-22 Nonetheless, there is a lack of systematic research, thus the available data are scarce, and fail to cover the whole spectrum of how various environmental factors may affect mental disorders.²⁰

Cancer

Another interesting research recently evaluated some interior design applications to improve the quality of life of cancer patients living in two floor houses. Although duplex houses constitute a rapidly developing market and have become quite popular as they combine a better compartmentalization of living space with luxurious appearance, problems may emerge if the residents suffer from a debilitating condition. Patients with advanced cancer, muscle weakness, or cachexia might find the use of stairs connecting the bedroom (first floor) to the living room (ground floor) challenging, thus isolating themselves in the bedroom, without

being a part of daily family life, which can cause emotional distress or even depression. An interior design intervention at the living floor may impressively improve patient's daily routine, mood, performance, and quality of life without expensive or permanent structural interventions to the house.²³

Discussion

There is limited evidence on the impact of interior design in the treatment of other debilitating conditions. It might be assumed that the science of interior architecture may positively impact other important maladies of neurological, respiratory, and traumatic origin offering a relief not only for the patients but also for the entire families living in the same environment. Nonetheless, the medical world is still unaware of these possible solutions, leading to communication gaps between medical and interior architecture experts, concerning patients' needs.

As patients and relatives may not be aware of interior design solutions for the new daily life requirements and care resulting from their condition, interior design experts may equally be unaware of who is in need of their expertise solutions. Thus, an intermediary is needed to introduce patients to interior design solutions. Interdisciplinary collaboration between interior designers and occupational therapists is expected to further benefit patients/those needing house interventions. A Occupational therapy feedback can be used to guide interior designers to better understand the anatomical needs imposed by the new debilitating condition.

Since the goal of supportive care is to improve patients' well-being and prevent or promptly treat the disease symptoms, side effects caused by treatments, and psychological, social, and spiritual problems related to a disease or its treatment, the supportive care working group is probably the most appropriate "specialty" to address this issue and bridge the gap between medical and interior design sciences. Residential architectural barriers and impediments need to be rapidly dealt with either at the hospital during a supportive care visit (using a small dedicated self-administered questionnaire), or at home by health personnel if domiciliary supportive care is delivered (taking into account that home-care support and facilities are not omnipresent).

Conclusion

To conclude, the interaction between health and interior space architecture is scarce. Bridging interior

architecture and medical science may offer novel possibilities in meeting patients' needs. In this context, a greater degree of quality collaboration and communication between health and interior design professions might facilitate the development of in-home solutions for meeting the needs and challenges of patients with debilitating health conditions.

Author Disclosure Statement

The authors declare that there are no conflicts of interest regarding the publication of this article.

Funding Information

This research did not receive any specific grant from funding agencies in the public, commercial, or notfor-profit sectors.

References

- Lavender SA, Sommerich CM, Sanders EB, et al.: Developing evidencebased design guidelines for Medical/Surgical Hospital Patient Rooms that meet the needs of staff, patients, and visitors. HERD 2020;13:145– 178
- Büter K, Motzek T, Dietz B, et al.: Demenzsensible Krankenhausstationen: Expertenempfehlungen zu Planung und Gestaltung [Dementia-friendly hospital wards: Expert recommendations for planning and design].
 Z Gerontol Geriatr 2017;50:67–72.
- 3. Rudnicka E, Napierała P, Podfigurna A, et al.: The World Health Organization (WHO) approach to healthy ageing. Maturitas 2020;139:6–11.
- Engineer A, Sternberg EM, Najafi B: Designing interiors to mitigate physical and cognitive deficits related to aging and to promote longevity in older adults: A review. Gerontology 2018;64:612–622.
- Granbom M, Perrin N, Szanton S, et al.: Household accessibility and residential relocation in older adults. J Gerontol B Psychol Sci Soc Sci 2019;74: e72–e83.
- Ewen HH, Washington TR, Emerson KG, et al.: Variation in older adult characteristics by residence type and use of home- and communitybased services. Int J Environ Res Public Health 2017;14:330.
- Chen YM, Berkowitz B: Older adults' home- and community-based care service use and residential transitions: A longitudinal study. BMC Geriatr 2012;12:44
- Rashmi MR, Kasthuri A, Rodrigues RJ: Senior friendly hospitals: Development and application of criteria: A descriptive study. Indian J Community Med 2016;41:256–262.
- Wysocki A, Butler M, Kane RL, et al.: Long-term services and supports for older adults: A review of home and community-based services versus institutional care. J Aging Soc Policy 2015;27:255–279.
- Owen N, Goode A, Sugiyama T, et al.: Designing for dissemination in chronic disease prevention and management. In: Brownson RC, Colditz GA, Proctor EK (eds): Dissemination and Implementation Research in Health: Translating Science to Practice, 2nd ed. Oxford, UK: Oxford University Press, 2017, pp. 107–120.
- Laver K, Cumming R, Dyer S, et al.: Evidence-based occupational therapy for people with dementia and their families: What clinical practice guidelines tell us and implications for practice. Aust Occup Ther J 2017; 64:3–10.
- Dri E, Bressan V, Cadorin L, et al.: Providing care to a family member affected by head and neck cancer: A phenomenological study. Support Care Cancer 2020;28:2105–2112.
- Legg LA, Lewis SR, Schofield-Robinson OJ, et al.: Occupational therapy for adults with problems in activities of daily living after stroke. Cochrane Database Syst Rev 2017;7:CD003585.
- Mauri D, Kamposioras K, Tolia M, et al.: Summary of international recommendations in 23 languages for patients with cancer during the COVID-19 pandemic. Lancet Oncol 2020;21:759–760.

- Mauri D, Tzachanis D, Valachis A, et al.: Behind the numbers and the panic of a viral pandemic: Fixed restrictive oncology guidance may jeopardize patients' survival. J BUON 2020;25:1277–1280.
- Ozenen G: Practical, rapid, and cost-efficient interior architectural precautions for prevention of COVID-19 in the workplace. Work 2020;67: 3–9
- Page N, Naik V, Singh P, et al.: Homecare and the COVID-19 pandemic— Experience at an Urban Specialist Cancer Palliative Center. Indian J Palliat Care 2020;26(Suppl. 1):S63–S69.
- Pilosof NP, Barrett M, Oborn E, et al.: Inpatient telemedicine and new models of care during COVID-19: Hospital design strategies to enhance patient and staff safety. Int J Environ Res Public Health 2021;18: 8301
- Benedetti F, Colombo C, Barbini B, et al.: Morning sunlight reduces length of hospitalization in bipolar depression. J Affect Disord 2001;62: 221–223
- Aljunaidy MM, Adi MN: Architecture and mental disorders: A systematic study of peer-reviewed literature. HERD Heal Environ Res Des J 2021;14: 320–330.
- 21. Caspi E: Wayfinding difficulties among elders with dementia in an assisted living residence. Dementia (London) 2014;13:429–450.
- Chenoweth L, King M, Luscombe G, et al.: Study protocol of a randomised controlled group trial of client and care outcomes in the residential dementia care setting. Worldviews Evid Based Nurs 2011;8:153–165.
- Mauri D, Tsali L, Zarkavelis G, et al.: Interior design in cancer care: Simple structural solutions in storey houses improve patients' quality of life, mood and performance. J BUON 2020:25:1673–1675.
- Atwa A, Money AG, Spiliotopoulou G, McIntyre A: Occupational therapists' perceptions about the clinical utility of the 3D interior design software. Disabil Rehabil Assist Technol 2013;8:348–355.

Cite this article as: Mauri D, Kampletsas E, Smyris G, Tsali L, Tsekeris P, Harissis H, Kamposioras K, Tolia M, Hyphantis T, Ntellas P, Gazouli I, Zarkavelis G, Mavroeidis L, Amylidi A-L, Torounidou N, Gogadis A, Nixon J (2021) Interior design: a new perspective in supportive care of patients with acute onset of debilitating diseases, *Palliative Medicine Reports* 2:1, 1–4, DOI: 10.1089/pmr.2021.0031

Publish in Palliative Medicine Reports



- Immediate, unrestricted online access
- Rigorous peer review
- Compliance with open access mandates
- Authors retain copyright
- Highly indexed
- Targeted email marketing

liebertpub.com/pmr

AUTHOR QUERY FOR PMR-2021-0031-VER9-MAURI_1P

- AU1: Please identify (highlight or circle) all authors' surnames for accurate indexing citations.
- AU2: Please mention the authors' degree abbreviations (e.g., MS, MD, PhD).
- AU3: Please provide the department in the affiliations "2 and 6."
- AU4: Please confirm the corresponding author's name and address.
- AU5: Include IRB approval or waiver statement in the Materials and Methods section. The Clinical Trial Registration number, if applicable, should be included at the end of the abstract.