



Sparse Coral Classification Using Deep Convolutional Neural Networks

Mohamed Elsayed Elawady

Supervised by
Dr. Neil Robertson
Prof. David Lane

Centre Universitaire Condorcet
University of Burgundy

Department of Computer Architecture and Technology
University of Girona

School of Engineering and Physical Sciences
Heriot-Watt University

A Thesis Submitted for the Degree of
MSc Erasmus Mundus in Vision and Robotics (VIBOT)

· 2014 ·



Abstract

Autonomous repair of deep-sea coral reefs is a recent proposed idea to support the oceans ecosystem in which is vital for commercial fishing, tourism and other species. This idea can be operated through using many small autonomous underwater vehicles (AUVs) and swarm intelligence techniques to locate and replace chunks of coral which have been broken off, thus enabling re-growth and maintaining the habitat.

The aim of this project is developing machine vision algorithms to enable an underwater robot to locate a coral reef and a chunk of coral on the seabed and prompt the robot to pick it up. Although there is no literature on this particular problem, related work on fish counting may give some insight into the problem. The technical challenges are principally due to the potential lack of clarity of the water and platform stabilization as well as spurious artifacts (rocks, fish, and crabs).

We present an efficient sparse classification for coral species using supervised deep learning method called Convolutional Neural Networks (CNNs). We compute Weber Local Descriptor (WLD), Phase Congruency (PC), and Zero Component Analysis (ZCA) Whitening to extract shape and texture feature descriptors, which are employed to be supplementary channels (feature-based maps) besides basic spatial color channels (spatial-based maps) of coral input image, we also experiment state-of-art preprocessing underwater algorithms for image enhancement and color normalization and color conversion adjustment.

Our proposed coral classification method is developed under MATLAB platform, and evaluated by two different coral datasets (University of California San Diego's Moorea Labeled Corals, and Heriot-Watt University's Atlantic Deep Sea).

We are part of a living world, not apart from it

Sylvia Earle

Contents

Acknowledgments	vii
1 Introduction	1
1.1 Background	1
1.2 Contribution	3
1.3 Thesis Outline	3
2 Problem Definition	5
2.1 Introduction	5
2.2 Main Threats	5
2.3 Coral Transplantation	8
2.4 Autonomous Underwater Vehicles	8
3 State of the art	11
3.1 Coral Classification	11
3.2 Convolutional Neural Networks	14
3.2.1 Object Classification	16
3.2.2 Object Recognition and Detection	17
4 Methodology	19
4.1 Introduction	19

4.2	Framework Overview	20
4.3	Implementation	23
4.3.1	Preprocessing	23
4.3.2	Feature Maps	23
4.3.3	Image Normalization	27
4.3.4	Network Architecture	29
4.4	Summary	30
5	Results	31
5.1	Datasets	31
5.1.1	Moorea Labeled Corals	31
5.1.2	Atlantic Deep Sea	31
5.2	Evaluation Metrics	32
5.3	Experimental Results	33
5.3.1	Network parameters	33
5.3.2	Color enhancement	33
5.3.3	Hybrid patching	34
5.3.4	Feature maps	34
5.3.5	Image normalization	34
5.3.6	Hidden output maps	35
5.3.7	Summary	35
5.4	Final Results	36
6	Conclusions	39
6.1	Summary	39
6.2	Main Contributions	40
6.3	Limitations	40
6.4	Future Work	40

A Datasets	42
A.1 Moorea Labeled Corals	42
A.1.1 Coral classes	42
A.1.2 Non-coral classes	43
A.2 Atlantic Deep Sea	44
A.2.1 Coral classes	44
A.2.2 Non-coral classes	45
Bibliography	51

List of Figures

1.1	Distribution of Coral Reefs around the world (Copyright Friedrich Von Steuben Metropolitan Science Center)	2
1.2	Great Barrier Reef, Australia (Copyright Zicasso)	2
2.1	Threads to Coral Reefs [1]	6
2.2	Examples of coral reef decay: (a) Coral Elkhorn in the Caribbean sea (1975-1995) [2], (b) Carysfort reef in the Florida Keys (1975-2004) [3], (c) Bleaching of 500 years old coral head (1996-1997) [4]	7
2.3	Examples of coral reef transplantation: (a) Reviving coral reefs in the Maldives (Reefscapers Project 2001) [5], (b) Rehabilitation of coral reefs in Koh Tao island, Thailand (Save Coral Reefs 2012) [6]	9
2.4	Retransplantation process of autonomous underwater robots (AUVs) for coral reefs	10
3.1	Difference between shallow traditional and deep modern classification architectures	14
3.2	Architecture of LeNet-5 (Convolutional Neural Networks) for digit recognition, from LeCun [7]	15
3.3	Main structure of CNN hidden layer	16
3.4	Overview for object detection using Regions with CNN features (R-CNN [8]) . .	17
3.5	Network architecture for text recognition [9]	18

4.1	Architecture overview of proposed CNN	20
4.2	Example of feature maps for Crinoid coral using ADS dataset	21
4.3	Example of feature maps for Acropora coral using MLC dataset	22
4.4	Example of color enhancement for coral images	24
4.5	Example of hybrid patching	25
4.6	Two examples of ZCA whitening using MLC and ADS dataset	26
4.7	Examples of image normalization (image, histogram): (a) gray-scale version of original image, (b) min-max normalization $[-1,+1]$, (c) min-max normalization $[0,1]$, (d) z-score normalization	28
5.1	Sample images from UCSD's MLC dataset	32
5.2	Sample images from HWU's ADS dataset	32
5.3	Color enhancement comparison	33
5.4	Patch selection comparison	34
5.5	Feature maps comparison	35
5.6	Normalization methods comparison	35
5.7	Capacity comparison of hidden output maps	36
5.8	Comparison of network architecture	36
5.9	Evaluation Metrics for selected network architecture: (a,c,e) MLC dataset, (b,d,f) ADS dataset	38

List of Tables

3.1	Summary of related methods for coral image classification	13
-----	---	----

Acknowledgments

I'd like to acknowledge Computer Vision Group at University California San Diego for the use of Moorea Labeled Corals dataset. I'd like also to acknowledge Rasmus Berg Palm at Technical University of Denmark for publishing MATLAB code for Deep Learning Toolbox, Oscar Beijbom for implementation of point-based coral classification, and Stephane Bazeille for implementation of underwater image preprocessing.

I'd like to thank Neil Robertson and David Lane for giving me an amazing masters thesis opportunity to work on a Heriot-Watt crucible project (Coralbots) with an interdisciplinary team of researchers from Life Sciences, Computer Science and Engineering. I'd like also to thank cold-water coral group (Lea-Anne Henry, Murray Roberts, and Laurence De Clippele) for providing different types of proficient information about coral reefs and maintaining new cold-coral dataset.

I can't find enough words expressing my gratitude to my family, you are the reason of every success i have done so far. Many thanks to VIBOT classmates who share their cultures and background experiences with me, VIBOT family (David Fofi, Herma Adema-Labille, and David Arnoud), and all members of VisionLab Team (especially Rick, Rolf, Puneet, and Roushanak) for providing me ideas and suggestions through my masters research.

Finally, I like to thank European Commission for granting Erasmus Mundus Scholarships which gave me an opportunity to study in three different universities (University of Burgundy, University of Girona, Heriot-Watt University) at three different countries (France, Spain and Scotland).

Chapter 1

Introduction

This chapter presents a basic background about coral species, thesis contribution to classify coral images through deep learning methods, and finally thesis outline for next chapters.

1.1 Background

Coral reefs are living organisms consisting of very small animals called “polyps”, and exist in more than 200 countries’ aquatic spaces (seas and oceans) where sea temperatures range between 25 and 290 Celsius (as shown in figure 1.1). They provide a main livelihood source for around 30 million people through (food in fisheries, income in tourism and materials in pharmaceuticals, and coastal protection of habitation and farmland in erosion and storms). World’s largest coral reef system is Great Barrier Reef [10] in the north-east coast of Australia (please see figure 1.2) spreading on thousands of coastal kilometers and hundreds of islands, and it contains around three thousands individual coral reefs [11] and represents world’s biggest single structure made by living organisms which can be seen from outer-space.

Hundreds of different species of corals exist around the world, in which are generally classified into hard and soft corals [12]. Hard corals grow in colonies to build huge reef blocks. Seawater provide calcium to corals in order to build their skeletons. The living corals represents a very small part of the overall reef structure. Soft corals construct plants or trees and do not have stony skeletons. Soft corals can be found in different aquatic regions (tropical shallow sea and cold deep sea).

As the number of images and databases continues to rapidly increase at many environmental research centers and aquatic-based agencies (i.e. International Coral Reef Action Network, and National Oceanic & Atmospheric Administration) due to latest technologies in image acquisition using different autonomous underwater vehicles. Coral ecologists and environmental scientists




Figure 1.1: Distribution of Coral Reefs around the world (Copyright Friedrich Von Steuben Metropolitan Science Center)



Figure 1.2: Great Barrier Reef, Australia (Copyright Zicasso)

already collected millions of coral images and thousands of hours of underwater videos, and they need massive number of hours to annotate every pixel inside each coral image or video frame such that this full manual segmentation will be time consuming and increase the ratio between labeled and unlabeled images across time. Uniform random point sampling is a sufficient solution for coral research statistics using image annotation software (i.e. Coral Point Count [13] by National Coral Reef Institute). In this software, images are manually annotated through coral experts by selecting some random pixels (10-200) in the target image, and classifying those pixels respect to predefined coral classes. A typical survey states [14] that more than 400 hours are required to annotate 1000 images (around 200,000 coral labeled points). Automated image analysis is rapidly emerging as a promising cost-effective tool to annotate images for e.g., coral cover, health and species composition in both shallow and deep coral reef settings.

1.2 Contribution

An efficient sparse classification for coral species is introduced using most recent machine learning technique “Deep Learning” which is a set of algorithms [15] that attempts to model high-level abstractions in data by using architectures composed of multiple non-linear transformations. Toronto’s Hinton [16], Montreal’s Bengio [17], and New York’s LeCun [18] pioneer deep learning idea to be a new generation of artificial neural networks to allow machines to learn recognizing patterns in everything from audio/visual data [19–21] to spoken language [22] to handwriting [23].

Two most-popular algorithms are Convolutional Neural Network (CNN) and Deep Belief Net (DBN). first is a special kind of multi-layer feed-forward supervised neural network which is designed to recognize visual objects directly from spatial-based images with minimal or without preprocessing, it consists of three layers: (1) feature extraction (convolution layer), (2) shift and distortion invariance (sub-sampling layer), (3) classification (output layer). later [24] is an unsupervised probabilistic generative models composed of multiple layers of stochastic, hidden variables. The top layers have undirected, symmetric connections between them and the lower layer receives directed connections from the layer above.

1.3 Thesis Outline

Thesis is divided in 5 chapters: Introduction, Problem Definition, State of the Art, Methodology, Results and Conclusions. In chapter 2, it presents the coral threats and survival solutions. In chapter 3, it discusses the related research in coral detection, and introduces recent supervised machine learning algorithm in deep learning (convolutional neural networks) & its applications

in object classification and recognition. In chapter 4, it shows overview of the proposed coral classification method and explains in details each phase. In chapter 5, it evaluates the proposed method's results in qualitative and quantitative way. Finally in chapter 6, it summarizes conclusions, method's limitations, and future work.

Chapter 2

Problem Definition

This chapter presents importance of coral reefs, its main threats due to human and environmental effects, finally manual and automatic transplantation process as survival coral solutions.

2.1 Introduction

Coral reef ecosystems provide for over half a million people: they create substantial socioeconomic benefits from tourism and fisheries while providing coastal protection, enhancing biodiversity and contributing to carbon sequestration that mitigates global warming [25,26]. Global conservation of reefs and their resources in a world characterized by multiple stressors and disturbances will require unified efforts to create international marine and climate policies alongside local adaptive community management tools [27]. However these policies and tools must also be cost-effective and promote public and stakeholder stewardship of coral reefs [28].

2.2 Main Threats

Based on mid-90's statistics [12], 10% of coral reefs were destroyed and can't be recovered again, and there are only less than 30% healthy coral reefs around the world. Figure 2.1 shows human activities that threaten the coral reefs around the world starting from Caribbean coast of Atlantic ocean as presented in figure 2.2(a,b); passing through east Africa coast & Red sea; ending to central part of Pacific ocean, those activities involve coastal development (sun blocking from eroding soil over aquatic world), underwater pollution (oil, gas, and mineral exploration & extraction), destructive fishing methods (very popular in south Pacific and southeast Asia using poison fishing and dynamite fishing), and unsustainable tourism (i.e. touching during




Figure 2.1: Threats to Coral Reefs [1]

diving sessions), such that they damage both cold deep and warm shallow coral physically and don't allow them to grow again or recover in decades [1, 11].

There two more major coral environmental-based threads [29]: (coral bleaching, and ocean acidification). 16% of the world's coral reefs is suffered from first thread over the last three decades due to increase in water temperature which causes losing coral color and become white as shown in figure 2.2(c), but corals can recover from bleaching. Unstable balance in atmospheric materials (i.e. increased carbon dioxide) leads to later threat which causes lowering of ocean pH (acidity measure) and affect coral negatively by losing their calcium selections. There two more major coral environmental-based threads: coral bleaching, and ocean acidification. 16% of the world's coral reefs is suffered from first thread over the last three decades due to increase in water temperature which causes losing coral color and become white as shown in figure 2.2(c),




Figure 2.2: Examples of coral reef decay: (a) Coral Elkhorn in the Caribbean sea (1975-1995) [2], (b) Carysfort reef in the Florida Keys (1975-2004) [3], (c) Bleaching of 500 years old coral head (1996-1997) [4]

but corals can recover from bleaching. Unstable balance in atmospheric materials (i.e. increased carbon dioxide) leads to later threat which causes lowering of ocean pH (acidity measure) and affects coral negatively by losing their calcium selections.

2.3 Coral Transplantation

Some types of coral reef have a slow survival ability for recovering or re-growth using small healthy coral wreckage resulting their artificial coral colony after some decades. Possible strategies are provided for coral gardening through involvement of SCUBA divers in coral reef re-assemble and transplantation. Although, some limitations (restricted time and depth per diving session respect to human abilities) are introduced a small survival rate in transplanted corals (especially cold sea corals due to their deep depth conditions). Coral ecologists investigate new robot-based strategy in deep-sea coral restoration in such that autonomous underwater vehicles (AUVs) grasp cold-water coral samples and replant them in damaged reef areas. Successful transplantation trail [30] is already occurred in 2008 for cold-water coral *Lophelia* (at 82m water depth) in Kosterfjord, Sweden.

Figure 2.3 shows two examples of human-based transplantation for coral reef fragments. problem of first example start in 1998 when increase in ocean temperature due to storms cause coral bleaching and lose 90% of shallow corals. World-known resort (Four Seasons) and environmental consultancy agency (Seamarc) started a coral-saving project entitled (Reefscapers) in 2001 to transplant coral fragments to artificial coral reefs and monitor their growth over years; leading to amazing results (20% coral increase, 80% survival rate for transplanted corals). global warming caused second example 80% coral death at Koh Tao (Thailand) in 2010, so that an environmental organization (Save Coral Reefs) begin a coral restoration project resulting a tremendous coral growth after one year of operation.

2.4 Autonomous Underwater Vehicles

Although deployment of single AUV operation is time limited. Inspired from behavioral of natural swarms of insects (bees, wasps and termites) in building complex colonies, team of marine biologists and robotics experts introduced an innovative underwater project 'coralbots' to speed-up the regenerated coral process using intelligent swarms of inter-connected AUVs.

Proposed work (as shown in figure 2.4) consists of two stages: offline data training and on-line identification. offline training will be on surface workstation for fast computation and long execution time which extracts features from coral-labeled images besides spatial information and then apply deep learning process (supervised, unsupervised, or hybrid) to get well-trained




Figure 2.3: Examples of coral reef transplantation: (a) Reviving coral reefs in the Maldives (Reefscapers Project 2001) [5], (b) Rehabilitation of coral reefs in Koh Tao island, Thailand (Save Coral Reefs 2012) [6]




Figure 2.4: Retransplantation process of autonomous underwater robots (AUVs) for coral reefs

parameters for further successful classification. However, online identification will be on remotely operated underwater vehicle (ROV) which collect images from several AUVs and find out which species are included, and detect their coordinates in real-time processing for further coral transplantation.

Chapter 3

State of the art

This chapter discusses most-recent research in classification for coral species using optical camera sensors, then explains convolutional neural networks (deep learning method) as a feature extraction and classification technique and its successful applications in related research (object classification, and object recognition & detection).

3.1 Coral Classification

Clement et al. [31] presented local binary pattern (LBP) as feature descriptor for binary detection of crown-of-thorns starfish (COTS) from great barrier reef images in Australia, in which his experiments achieved an above-average results in only one-class segmentation. Mehta et al. [32] used support vector machines (SVM) classifier directly on spatial information of coral image without any preprocessing step to get a binary (coral/non-coral) output, he reasoned for using raw-data as classifier input such that features and descriptors for coral textures are very difficult to obtain. he achieved 95 % correct classification but his method behaves negatively with any change in underwater illumination.

Pizarro et al. [33] introduced object recognition for coarse habitat classification (1st experiment; 8 classes: coralline rubble, hard coral, hard coral +soft coral + coralline rubble, halimeda + hard Coral + coralline rubble, macroalgae, rhodolith, sponges, and un-colonized) (2nd experiment; 4 classes: reef + coarse sand, coarse sand, reef, and fine sand), he employed the same color features of Marcos but different texture features based on bag-of-words using scale-invariant feature transform (SIFT) with extra saliency feature of gabor-filter response, this method can be only used with single-object images (one classes per entire image) [34]. Marcos et al. [35] developed an automated rapid classification (5 classes: coral, sand, rubble, dead coral, and dead coral with algae) for underwater reef video, he used color features based

on histogram of normalized chromaticity coordinates (NCC) and texture features from local binary patterns (LBP) descriptor, those features feed into linear discriminant analysis (LDA) classifier. in case of using more classes [34], his method output inaccurate classification.

Johnson-Roberson et al. [36] showed an approach for the autonomous segmentation and classification of coral through the combination of visual and acoustic data, which generates 60 visual features: 12 are the mean and standard deviation of all of the RGB and HSV channels separately and the remaining 48 are obtained by convolving the region with Gabor wavelets at six scales and four orientations and taking the mean and standard deviation of the results for each scale and orientation combination, then SVM is selected for classification task, pre-processing is mainly required to allocate foreground regions before feature extraction. Purser et al. [37] investigated machine-learning algorithms for the automated detection of cold-water coral habitats, which computes 15 differently oriented and spaced gratings in order to produce a set of 30 texture features, and to compare a computer vision system with the use of three manual methods: 15-point quadrat, 100-point quadrat and frame mapping. Strokes & Deane [38] described an automated algorithm for the classification of coral reef benthic organisms and substrates which divides image into blocks, then finds distance between those blocks and identifies species blocks based on color features (normalized histogram of RGB color space) and texture features (radial samples of 2D discrete cosine transform) by using inconvenient distance metric (manually assigned parameters) after unsuccessful results of well-known mahalanobis distance.

Beijbom et al. [14] introduced Moorea Labeled Corals (MLC) dataset and proposed multi-scale classification algorithm for automatic annotation, he developed color stretching for each channel individually in $L^*a^*b^*$ color space as pre-processing step, then used Maximum Response (MR) filter bank approach (rotation invariant) as color and texture feature, followed by applying Radial Basis Function kernel (RBF) of Support Vector Machines (SVM) classifier, this method seek all possibilities (time-consuming) to find a suitable patch size around selected image points for species identification.

Schoening et al. [39] introduced semi-automated detection system for deep-sea coral images, in which firstly applies preprocessing step for illumination correction, then secondly extracts high dimensional features at labeled pixels based on MPEG7 standard (four descriptors for color features; three for texture; ten for structure and motion), after that a set of successive different support vector machines is applied a long side with thresholding post processing, although the used features are more generic for any application leading to high sensitivity for underwater cluttering background. Stough [40] presented an automatic binary segmentation technique of live Staghorn coral species, in which regional intensity quantile functions (QF) is used as color features and Scale-Invariant Feature Transform (SIFT) is maintained to be texture features, followed by linear SVM as classifier, this supervised technique is highly noise sensitive (due to

First Author (Year)	Features	Classifier	Number of Classes
Clement (2005)	• Texture : local binary pattern (LBP)	Log-likelihood similarity	2
Melita (2007)	• Color : RGB color space	Support vector machines (SVM)	2
Pizarro (2008)	• Color : normalized chromaticity coordinates (NCC) histogram • Texture : bag of words using scale-invariant feature transform (SIFT) • Saliency : gabor-filter response	Voting matching	8, 4
Marcos (2008)	• Color : normalized chromaticity coordinates (NCC) histogram • Texture : local binary pattern (LBP)	Linear discriminant analysis (LDA)	5
Johnson-Roberson (2009)	• Color : RGB & HSV • Texture : Gabor wavelets	Support vector machines (SVM)	2, 4
Purser (2009)	• Texture : non-linear gabor filter	Artificial Neural Networks (ANN)	3
Stokes (2009)	• Color : normalized RGB histogram • Texture : Discrete cosine transform (DCT)	Probability density weighted mean distance (PDWMD)	18
Bejbom (2012)	• Color : L*a*b color space • Texture : Maximum response (MR) filter bank	Support Vector Machines (SVM)	9
Schoening (2012)	• Color & Texture : MPEG7 standard	Successive support vector machines (SVM)	8
Stough (2012)	• Color : quantile functions (QF) • Texture : Scale-Invariant Feature Transform (SIFT)	Linear support vector machines (SVM)	2
Shihavuddin (2013)	Combination of: • Local binary pattern (CLBP) • Grey level co-occurrence matrix (GLCM) • Gabor filter response • Opponent angle and hue channel color histograms	Selection from: • k- nearest neighbor (KNN) • neural network (NN) • support vector machine (SVM) • probability density weighted mean distance (PDWMD)	5, 8, 9, 10, 14, 25, 61

Table 3.1: Summary of related methods for coral image classification

SIFT).

Shihavuddin et al. [34] implemented hybrid variable-scheme classification framework for benthic coral reef images or mosaics, this framework uses combination of the following features (local binary pattern (CLBP), grey level co-occurrence matrix (GLCM), Gabor filter response, and opponent angle and hue channel color histograms) and also combination of the following classifiers (k- nearest neighbor (KNN), neural network (NN), support vector machine (SVM) or probability density weighted mean distance (PDWMD)) along besides middleware procedures for better result enhancement, but this framework works sufficiently with small-patched images (high negative impact of background information).

Rather than depending on human-crafted features (please see table 3.1) to get a proper coral classification, the proposed work decides letting the feature mapping to be done automatically by deep convolutional neural networks regardless to any under-water environment condition. by feeding new images, the network can learn and adapt the constructed feature maps respect to desired class outputs.




Figure 3.1: Difference between shallow traditional and deep modern classification architectures

3.2 Convolutional Neural Networks

Traditional architecture firstly extracts hand-designed key features based on human analysis for input data, secondly applies those features in form of data vectors to generic classifier in order to get predicted target classes (in other words, classifier is totally dependent on how features constructed not input data). Deep architecture trains learning features across hidden layers; starting from low level details (i.e. edges, corners) up to high level details (i.e. shape, texture); to get better data representation for simple classifier (please see figure 3.1 for graphical details).

A convolutional neural network (CNN) [41–43] is a type of feed-forward back-propagation neural networks respect to biological-based visual processes. it consists of trainable multiple convolutional stages [44], in which input and output of each stage are variant representation of one/multi-dimensional array (i.e. 1D for audio, 2D for image, 3D for video, ...), the output array learn to extract high-receptive features from all sides of input one. A typical CNN is composed of two or three stages, followed by a classification layer. LeCun presented first back-




Figure 3.2: Architecture of LeNet-5 (Convolutional Neural Networks) for digit recognition, from LeCun [7]

propagation CNN entitled "LeNet-5" (please see figure 3.2) for handwritten digit recognition, which is a large network which contains 6 layer hidden layers whose its input is 28x28 input image of single hand-written character and its output is multi-invariant feature map of input character.

Each hidden stage/layer consists of four steps (as shown in figure 3.3) : trainable convolution, non-linearity activation, contrast normalization, and pooling/sub-sampling. Convolution filters an input map into translation-invariant maps with different trainable weights and biases, Non-linear activation function (i.e. hyperbolic, sigmoid, ...) adds independent relationship within objects inside, contrast normalization keeps output maps in pre-defined range measures, final feature map is subsampled or max-pooled from output maps of the last stage (make it small in size to further faster calculation in next layers).




Figure 3.3: Main structure of CNN hidden layer

3.2.1 Object Classification

Buysens [45] introduced multi-scale convolutional neural networks (MCNN) for cancer cell image classification, in which cells are detected and segmented from virtual slides, then they are classified by using different CNNs at each scale and finally fuse their outputs through linear combination to get six different types of cancer cells. activation function used at convolution layer is non-linear squashing function, output of max-pooling layer is calculated in selecting regions of maximum activation instead of averaging regions (classical way). This method achieved lower error rate (5.74%) than state-of-art approaches after 50 epochs with four different square scales (80, 56, 40, 28).

Krizhevsky [46] presented a large deep convolutional neural network with eight hidden layers to achieve state-of-art results (1.5 million images of 256x256 down-sampled size) classification contest (LSVRC2010, LSVRC2012 of 37.5% and 36.7% error rates respectively with one thousand different classes), in which second best result from other participants has at least 10% error rate than proposed work. Such kind of large network faced over fitting over huge number of epochs which can be solvable by (1) introducing new transformed data from original data (2) dropping out neutral hidden neurons.




Figure 3.4: Overview for object detection using Regions with CNN features (R-CNN [8])

3.2.2 Object Recognition and Detection

Girshick [8] constructed innovated object detection (as shown in figure 3.4) with state-of-art performance (mean average precision = 53.3%) on PASCAL Visual Object Classes Challenge 2012 over complex methods of different combination of low level features. He used selective search for extraction of candidate regions and proposed region-based convolutional neural networks to classify the target objects using supervised training and detect them using domain-specific fine-tuning process. Syafeeza [47] proposed a face recognition system using convolutional neural network with over 85% accuracy in two different datasets. non-linear data representations (changes in illumination and poses) are overcome by experimenting variant network adjustment (fusion architecture, 10-fold cross validation, partial inter-layer connection, hyperbolic tangent activation function, input data normalization, and Gaussian weight normalization).

Pinheiro [48] used recurrent-based convolutional neural networks to successfully label each pixel of input images in the following datasets: Stanford background (80.2% accuracy, 715 images, 8 classes, 320x240 pixels) and SIFT flow dataset (77.7% accuracy, 2688 images, 3 classes, 256x256 pixels). These results exceed state-of-art ones in both datasets with efficient computation time. Saidane [9] showed a robust recognition algorithm (as shown in figure 3.5) for color text characters against different types of noises (high-detailed background, non-uniform lighting, etc...). recognition rate 84.5% is achieved with 36 classes (26 alphabetic letters and 10 numerical digits) using ICVDAR 2003 database.




Figure 3.5: Network architecture for text recognition [9]

Chapter 4

Methodology

This chapter presents main steps of coral classification based on convolutional neural networks, and overview & implementation details of proposed classification framework to match coral image points to target coral classes.

4.1 Introduction

Coral-reef classification can be divided into three main consecutive steps:

1. Under-water image de-noising (preprocessing step): due to different challenges (motion blurring, color attenuation, refracted sunlight patterns, water temperature variation, sky color variation, scattering effects, presence of sea particles, etc...), raw image must be enhanced visually to show its coral species in details for further steps.
2. Feature extraction: image which contains different coral species, have to find salient regions in each object in order to identify and distinguish those species easily respect to invariance of the following aspects (illumination, rotation, size, view angle, camera distance, etc...).
3. Machine Learning (ML) algorithm: those extracted features are used as input for machine learning to find suitable parameters to converge species of new images to similar trained ones respectively.

The proposed framework implemented the first step of coral reef classification (under-water image de-noising) using state-of-art research in underwater color enhancement and some additional data adjustment (hybrid sized patching) due to point-based data representation, and also achieved the second and third steps together using convolutional neural networks (deep learning




Figure 4.1: Architecture overview of proposed CNN

method) along side with construction of salient feature maps for faster network convergence based on most recent techniques in computer vision.

4.2 Framework Overview

The proposed classification framework (as shown in figure 4.1) contains three main levels (input layer, hidden layers, output layer). Input layer consists of three basic channels of color image plus extra channels for texture and shape descriptors consisting of following components: zero component analysis whitening, phase congruency, and Weber local descriptor (as shown in figures 4.2, 4.3), and preprocessing step (color correction/enhancement, smoothing filter) can be applied for further classification improvement. Hidden layers contains one or more layer(s) [usually 2 or 3] in which each layer consists of convolution layer followed by down-sampling layer in such way that the network can find suitable weights of convolutional kernel and additive




Figure 4.2: Example of feature maps for Crinoid coral using ADS dataset

biases. Almost first layer represents feature extraction by finding visual strokes, edges, and corners, and up-coming layers starting from second layer show how those features can combine in different aspects to get a discriminative output map for each target class. Output layer acts as a classification layer and symbolize reconstructed maps from last hidden layer into binary vector (placement of number one in specific element corresponding to desired class and number zero in the rest).




Figure 4.3: Example of feature maps for Acropora coral using MLC dataset

4.3 Implementation

4.3.1 Preprocessing

Color Enhancement

Bazeille [49] discussed difficulties in capturing good quality under-water images due to non-uniform lighting and underwater perturbation, he introduced a large parameter-free algorithm consisting of applying set of different filters into noisy underwater images which enhances edges and visual quality robustly. Iqbal [50] addressed under-water lighting problems due to light absorption, vertical polarization, and sea structure in which short wavelength of blue leads it to penetrate into sea layers and be a dominant color in deep water, he presents a simple slide color stretching algorithm based on RGB and HSI color models that is efficient equalization for color contrast. Beijbom [14] stated compensation of color differences in underwater turbidity and illumination can be solved by simply stretching histogram of each color channel separately with respect to 1% and 99% intensities.

Figure 4.4 presents state of art coral processing for color enhancement and its application on un-cleared coral image from MLC dataset, in which bazeille work shows edge-based version with less-coloring objects, Iqbal presents well-cleared version for foreground objects, and beijbom presents same output of Iqbal but with more reddish color on corals (as shown in left side of image).


Hybrid Patching

Three different-in-size patches are selected across each annotated point (61x61, 121x121, 181x181), then unified size scaling step is applied to those patches by scaling them up to size of the largest patch (181x181) allowing pixel randomization (blurring) in inter-shape coral details and keeping up corals edges and corners (please see figure 4.5), or scaling them down to size of the smallest patch (61x61) for fast classification computation over small data representation of different scaling selections.


4.3.2 Feature Maps

Zero Component Analysis Whitening


Zero Component Analysis (ZCA) whitening [51–54] makes data less-redundant by removing any neighboring correlations in adjacent pixels in such that output data removes amplitude information and keeps recognizable edges. it stimulates image scanning retinal process which decorrelates similar intensity values of contiguous pixels (high correlated adjacent pixels) after few moments of eye-focusing. It requires one smoothing parameter (very small number)




(Original)



(Bazeille '06)



(Iqbal '07)



(Beijbom '12)

Figure 4.4: Example of color enhancement for coral images




Figure 4.5: Example of hybrid patching

preventing division of zero in its calculation with respect to tiny eigenvalues which leads to a better-visual output features (dispatching off the inter-process aliasing artifacts).

Figure 4.6 shows how image data are correlated before and after ZCA whitening (covariance matrix represents correlation between image rows, in which diagonal white value represents full correlations of rows with itself and semi-correlated with rows with other rows). Before ZCA whitening, high correlation is found in covariance of grayscale version between adjacent rows (white blobs across main diagonal) and less correlation between faraway rows (black blobs across cross diagonal). After ZCA whitening, output image is polished by discarding inter-coral details and focusing on external shape of coral, wherefore homogenous correlation between non-duplicating rows exists in its covariance (everywhere except main diagonal).

Weber Local Descriptor

Weber Local Descriptor (WLD) [55] is inspired from psychological law in 19th century “Weber’s Law” and represents human perception of a pattern depending on ratio between change in image pixel and original pixel value. it consists of two components: differential excitation and orientation. The differential excitation component computes the salient micro-patterns relative to nearby neighboring pixels by calculating a function of the ratio between ratio between the relative intensity differences of a current pixel against its neighbors and the intensity of the current pixel. The orientation component constructs statistics on the computed salient patterns along with the gradient orientation of current pixel by building histograms of dominant




Figure 4.6: Two examples of ZCA whitening using MLC and ADS dataset

orientations. This method shows a robust edge representation of high-texture images against high-noisy changes in illumination of image environment. WLD has proven promising results in different object recognition issues [56–58].

Phase Congruency

Phase Congruency (PC) [59,60] represents image features in such format which should be high in information and low in redundancy using Fourier transform, rather than set of edges (sharp changes in intensity). In other words, Phase Congruency [61] is a dimensionless measure for the of a image structure independently of the signal amplitude which is based on Kovesi’s work [62]. Those features are better than gradient-based features which are fully invariant to image illumination and contrast, and also partially invariant to scale and rotation transformation in case of application of suitable normalization process in frequency domain [63].

4.3.3 Image Normalization

There are two different methods for image normalization [64] (see figure 4.7): linear contrast (min-max) normalization and z-score normalization. It keeps input image within same range as preprocessing step to speed up the network training time.

Z-score normalization (statistical normalization) uses the mean and standard deviation of each input image to normalize its values using linear transformation in order to reduce the effect of outliers (peaky noises) inside input images.

$$y = \left[\frac{(x - \bar{x})}{s} \right]. \quad (4.1)$$

where \bar{x} and s are the mean and standard deviation of the input image x to get an output image y with zero mean and an unit variance.

Min-max normalization (linear contrast normalization) rescales the range of each input image into an unit range [0,1] or a small symmetric range [-1,+1] using linear interpolation formula in order to keep all input images in same scale and allow neural network determining important image features without changing the relationship between image pixels.

$$y = (max_o - min_o) * \left[\frac{(x - min_i)}{(max_i - min_i)} \right] + min_o. \quad (4.2)$$

where min_i & max_i are minimum and maximum values of input x range, and min_o & max_o are minimum and maximum values of output y range.




Figure 4.7: Examples of image normalization (image, histogram):
(a) gray-scale version of original image, (b) min-max normalization $[-1, +1]$, (c) min-max normalization $[0, 1]$, (d) z-score normalization

4.3.4 Network Architecture

Kernel weights & bias initialization

The network [7] initialized biases to zero, and kernel weights using uniform random distribution using the following range:

$$\begin{aligned} rng &= \pm\sqrt{6/(f_{in} + f_{out})}. \\ f_{in} &= N_{in} * K^2. \\ f_{out} &= N_{out} * K^2. \end{aligned} \quad (4.3)$$

where N_{in} and N_{out} represent number of input and output maps for each hidden layer (i.e. number of input map for layer 1 is 1 as gray-scale image or 3 as color image), and k symbolizes size of convolution kernel for each hidden layer.

Convolution layer

Convolution layer construct output maps by convoluting trainable kernel over input maps to extract/combine features for better network behavior using the following equation:

$$x_j^l = f\left(\sum_{i \in m_j} [x_i^{l-1} * k_{ij}^l + b_j^l]\right). \quad (4.4)$$

where x_i^{l-1} & x_j^l are output maps of previous $l - 1$ & current l layers with convolution kernel numbers (input i and output j) with weight k_{ij}^l , $f(\cdot)$ is activation function for calculated maps after summation, and b_j^l is addition bias of current layer l with output convolution kernel number j .

Down-sampling layer

The functionality of down-sampling layer is dimensional reduction for feature maps through network's layers starting from input image ending to sufficient small feature representation leading to fast network computation in matrix calculation, which uses the following equation:

$$y_j^l = h_n(w^l * x_j^l). \quad (4.5)$$

where h_n is non-overlapping averaging function with size $n \times n$ with neighborhood weights w and applied on convoluted map x of kernel number j at layer l to get less-dimensional output map y of kernel number j at layer l (i.e. 64×64 input map will be reduced using $n=2$ to 32×32 output map).

Activation function

The logistic (sigmoid) function which is the most common activation function for classical neural networks and very useful in gradient decent training due to existence of function's derivatives. the function's equation is as follows:

$$f(x) = \frac{1}{1 + e^{-\beta x}}; [-\infty, +\infty] \Rightarrow [0, 1]. \quad (4.6)$$

where input x can be infinite value, and output $f(x)$ will be in bounded range $[0,1]$.

Learning rate

Inspired from Lawrence's convergence learning rate in CNN application for face recognition [65], an adapt learning rate is used rather than a constant one with respect to network's status and performance as follows:

$$\alpha^n = g\left(\frac{\alpha^{n-1}}{[n/(N/2)] + 1} + e^n\right). \quad (4.7)$$

where α^n & α^{n-1} are learning rates of current & previous iterations (if first network iteration is the current one, then learning rate of previous network iteration represents initial learning rate as network input), n & N are number of current network iteration & total number of iterations, e^n is back-propagated error of current network iteration, and $g(\cdot)$ is linear limitation function to keep value of learning rate in range $(0, 1]$.

Error back-propagation

The network is back-propagated with squared-error loss function as follows:

$$E^n = \frac{1}{2} \sum_{n=1}^N \sum_{k=1}^C (t_k^n - y_k^n)^2. \quad (4.8)$$

where N & C are number of training samples & output classes, and t & y are target & actual outputs

4.4 Summary

This chapter showed the proposed framework for coral reef classification using deep learning and explained in details how implementation process from color enhancement and data adjustment as preprocessing step to feature extraction and classification using convolutional neural networks.

Chapter 5

Results

This chapter shows the results of sparse classification with hybrid patching around annotated points using convolutional neural networks initially referring to Palm’s toolbox for deep learning [44], in which it discusses introduction of new coral dataset ADS besides an existed dataset MLC from University of California San Diego, explanation of used evaluation metrics, experimental and final results for best configuration selection, and finally output representation of the proposed method with respect to selected configuration.

5.1 Datasets

5.1.1 Moorea Labeled Corals

University of California, San Diego (UCSD)’s Moorea labeled corals “MLC” [14] dataset is captured from the island of Moorea in French Polynesia in which point-based annotations are provided (200 points per image) in around two-thousand images categorized in three different years (2008,2009,2010). The concerned labels form 9 coral/non-coral classes (as shown in figure 5.1), These classes are classified into 5 coral classes (Acropora “Acrop” , Pavona “Pavon” , Montipora “Monti” , Pocillopora “Pocill” , and Porites “Porit”) and 4 non-coral classes (Crustose Coralline Algae “CCA” , Turf algae “Turf” , Macroalgae “Macro” , and Sand “Sand”).

5.1.2 Atlantic Deep Sea

Heriot-Watt University (HWU)’s Atlantic Deep Sea (ADS) dataset [66] represents cold-water coral reefs from north Atlantic west of Scotland and Ireland in 2012 at Depth (100-800) meters. around 50 images are expertly annotated (200 labeled points per image) clarifying different




Figure 5.1: Sample images from UCSD’s MLC dataset




Figure 5.2: Sample images from HWU’s ADS dataset

types of *Lophelia* coral habitats and the surrounding soft sediment Logachev mounds (Rockall Trough). The target nine classes are classified (as shown in figure 5.2) into 5 coral classes (DEAD “Dead Coral” , ENCW “Encrusting White Sponge” , LEIO “*Leiopathes* Species” , LOPH “*Lophelia*” , and RUB “Rubble Coral”) and 4 non-coral classes (BLD “Boulder” , DRK “Darkness” , GRAV “Gravel” , and Sand “Sand”).

5.2 Evaluation Metrics

There are many popular assessment methods for quantitative measures in classification problems. The statistics of confusion matrix (contingency matrix) [67] is general quantitative representation of relationship between target classes and algorithm output classes, resulting of some important accuracy quantities (overall accuracy “OA”, precision, recall, sensitivity, specificity,




Figure 5.3: Color enhancement comparison

and F-score). training and test errors are also used to validate classification performance over different selection of network parameters.

5.3 Experimental Results

5.3.1 Network parameters

Finding best network architecture and validating its performance needs to compare quantitative results with keeping the rest network parameters constant (size of hybrid input image = 181x181, number of output classes = 9, number of samples per class = 300, number of input channels = 3 as RGB image, normalization method = min-max with in range [-1,+1], initial learning rate = 1, network batch size = 3, number of network epochs = 10, number of hidden output maps = 6-12, and ratio of training/test sets = 2:1).

5.3.2 Color enhancement

Figure 5.3a shows in MLC dataset that Bazeille'06 is the best color enhancement algorithm in classification results (around 10% improvement in all quantities: training error, test error, and overall accuracy) over other algorithms (Iqbal'07, Bejbom'12). Although raw image data without any enhancement is the best preprocessing choice for network classification within more than 10% value difference from nearest enhancement algorithm. Figure 5.3b using ADS dataset confirms the stated results in MLC dataset, but with small difference in values.




Figure 5.4: Patch selection comparison

5.3.3 Hybrid patching

Figure 5.4a using MLC dataset presents less error rates in unified-scaling multi-size image patches over single-sized image patches, and up-scaling in multi-size image patches have the best comparison results across different measurements (least training and test errors and highest overall accuracy value) with small difference in overall accuracy value 2% from hybrid down-scaling. Due to insufficient number of patch samples, ADS dataset in figure 5.4b does only hybrid comparison only, and it states the opposite results saying that hybrid down-scaling has the better performance against hybrid up-scaling with the same difference in accuracy value of MLC dataset. Bi-cubic interpolation is used in hybrid patching (built-in MATLAB function “imresize”). For a larger image size, classification performance has opposite proportion with computation time in most cases. Hybrid down-scaling (61) is finally selected for large-scale experiments.

5.3.4 Feature maps

Figure 5.5 indicates that additional feature-based channel besides basic color channels will be useful in coral discrimination in both datasets (MLC, ADS). Such that combination of three feature-based maps has slightly better classification results (1% difference in overall accuracy) in both datasets over basic color channels without any additional supplementary channels. More large-scale experiments are needed to decide in more discriminative way if additional feature-based channels will improve classification performance or not.

5.3.5 Image normalization

in MLC & ADS datasets in figure 5.6, z-score normalization has very bad classification results in comparing with min-max normalization such that changing data to be zero-mean values and unit-variance affects negatively in classification process. Applying more range in min-max




Figure 5.5: Feature maps comparison




Figure 5.6: Normalization methods comparison

normalization has very positive classification impact, in such that min-max with range [-1,+1] will be selected for further large-scale experiments.

5.3.6 Hidden output maps

As seen in figure 5.7, using outrageous number (24-48) of hidden output maps makes classification algorithm behaving inappropriately leading to converge all input data to only one output class. The presented classification results can't indicates the most suitable number for hidden output maps between (6-12) and (12-24).

5.3.7 Summary

After experimenting different classification configurations, down-scaled hybrid RGB input image are normalized using min-min method with range [-1,+1] and selected with additional optional feature-based maps as input data for convolutional neural networks with one of two different




(a) MLC dataset



(b) ADS dataset

Figure 5.7: Capacity comparison of hidden output maps



(a) MLC dataset



(b) ADS dataset

Figure 5.8: Comparison of network architecture

number of hidden output maps (6-12 or 12-24).

5.4 Final Results

In large-scale experiments (50 epochs rather than 10 epochs), testing phase of MLC dataset has almost the same results as shown in figure 5.8a, but training phase starts converging to correct target classes by increasing number of hidden output maps (12-24) and using additional feature-based maps as supplementary channels. Using ADS dataset in figure 5.8b, testing phase has best significant accuracy results with same selected configuration for MLC dataset.

Sub-figures 5.9a, 5.9b represent confusion matrices for MLC and ADS dataset, in which rows & columns represent the assignments of target classes & predicted output classes respectively. In MLC dataset, the highest classification rates are for Acrop (coral) and Sand (non-coral), and the lowest classification rates are for Pavon (coral) and Turf (non-coral), where misclassification occurred outputting Pavon as Monti/Macro and Turf as Macro/CCA/Sand due to similarity in

their shape properties or growth environment. However in ADS dataset, non-corals has better classification rate than corals, where DRK (non-coral) has almost perfect classification rate due to its distinct nature (almost dark blue plain image), LEIO (coral) has excellent classification rate due to its distinction color property (orange), and LOPH (coral) & ENCW (coral) has lowest classification rates due to their color confusion with each other & with BLD (non-coral).



Sub-figures 5.9c, 5.9d show the evolution of training and test errors in MLC & ADS datasets across network epochs, such that the proposed method's errors have better convergence curves (almost half) with ADS dataset over the other one. From epoch 30 in MLC dataset, increased gap starts to appear between training and test errors leading to algorithm over-fitting over training data. From epoch 35 in ADS dataset, training and test errors are almost stagnant (no major improvement) with respect to typical evolution of neural networks. MLC & ADS datasets have similar evolution curves (Sub-figures 5.9e, 5.9f) for learning rate across presented network epochs.

Acrop	.86	.01	.03	.02	.04	.01	.01	.02	
CCA	.01	.58	.14	.01	.01	.02	.05	.07	.11
Macro	.04	.10	.58	.04	.02	.04	.02	.16	
Monti	.13	.09	.09	.44	.06	.06	.05	.03	.05
Pavon	.07	.03	.11	.20	.42	.07	.02	.04	.04
Pocill	.10	.04	.07	.13	.06	.47	.01	.04	.08
Porit	.11	.05	.04	.01	.65	.04	.10		
Sand	.01	.09	.01	.03	.01	.06	.73	.06	
Turf	.01	.16	.22	.06	.01	.02	.02	.13	.37

BLD	.82	.02	.05	.02	.01	.06	.01	.01
DEAD	.03	.80	.05	.04	.01	.07		
DRK	.97	.03						
ENCW	.16	.04	.59	.01	.06	.08	.03	.03
GRAV	.02	.05	.89	.02	.01	.01		
LEIO	.01	.01	.92	.03	.03			
LOPH	.11	.02	.13	.02	.05	.63	.04	
RUB	.04	.04	.04	.01	.86	.01		
SAND	.02	.06	.03	.01	.05	.83		



(a)

(b)



(c)

(d)



(e)

(f)

Figure 5.9: Evaluation Metrics for selected network architecture:
(a,c,e) MLC dataset, (b,d,f) ADS dataset

Chapter 6

Conclusions

This chapter summarizes the outcomes of proposed thesis, in which the following sections present an overview of the proposed work, discuss the main contributions, and finally introduce limitations in the implementation of proposed work and future work in the same research direction.

6.1 Summary

This thesis discussed the importance of deep/shallow sea corals, their main threats from human interaction and environmental changes, their human-manual transplantation solution through scuba divers, and the involvement of under-water robots in automatic development technique in coral detection & transplantation using camera sensors. It covered all recent research work in coral classification using images captured from remotely operated underwater vehicles, and introduction of modern deep supervised classification method (convolutional neural networks) & its recent applications in related research fields (object detection and classification). Using new introduced deep-sea coral dataset from Heriot-Watt University along side with shallow-sea coral dataset from University of California San Diego, it proposed a supervised sparse-based classification method for coral species using convolutional neural networks as feature extraction & classification, and investigated computation of supplementary channels (feature-based maps) besides basic spatial color channels (spatial-based maps) to act as coral input data with state-of-art preprocessing underwater algorithms for image enhancement and color normalization. It finally suggested well-defined future research vision in under-water imaging applications using deep learning methods.

6.2 Main Contributions

The proposed framework in this thesis presented some contributions as follows:

- First application of deep learning techniques (especially convolutional neural networks) in under-water image processing (detection or classification).
- Introduction of new coral-labeled dataset “Atlantic Deep Sea” representing cold-water coral reefs from Scotland and Ireland.
- Investigation of convolutional neural networks in handling noisy large-sized images, manipulating point-based multi-channel input data.
- Hybrid image patching procedure for multi-size scaling process across different square-based windowing around labeled points.
- Production of two pending publications in ICPR-CVAUI 2014 (22nd International Conference on Pattern Recognition Workshop: Computer Vision for Analysis of Underwater Imagery), and ACCV 2014 (12th Asian Conference on Computer Vision).

6.3 Limitations

The proposed classification framework has the following limitations:

- Lack of fast performance of proposed algorithm and handling large-sized input data.
- In-comprehensive assessment comparison against other coral classification methods.
- Difficulty in finding optimal-fit structure and parameters for deep convolutional neural networks due to insufficient references for new research deep learning techniques.
- Absence of uniform distribution for labeled coral classes and continuous depth calculation for further scale-based operations.

6.4 Future Work

The future work of proposed method will cover avoiding information loss of dimension reduction for convolutional neural networks (no hidden sub-sampling layers will be used), composition of multiple deep convolutional models for N-dimensional data (different learning processes for basic and extra channels of input data), development of real-time image/video application for


coral recognition and detection (multi-day offline training and real-time online testing to satisfy the technical requirements of cold-water coral group members during summer internship at Heriot-Watt University), code optimization and improvement to build GPU computation for processing huge image datasets and edge enhancement for feature-based maps, finally intensive nature analysis for different coral classes in variant aquatic environments (deep study on failure classification results based on physical properties and environmental correlation of target corals).

Appendix A


Datasets

A.1 Moorea Labeled Corals

A.1.1 Coral classes




A.1.2 Non-coral classes




A.2 Atlantic Deep Sea

A.2.1 Coral classes



A.2.2 Non-coral classes



Bibliography

- [1] S. Diop, P. M'mayi, D. Lisbjerg, and R. Johnstone, *Vital Water Graphics: An Overview of the State of the World's Fresh and Marine Waters*, vol. 1. UNEP/Earthprint, 2002.
- [2] M. Yip and P. Madl, "General Overview of Coral Diseases." <http://biophysics.sbg.ac.at/aqaba/disease1.htm>. [Marine Laboratory, University of Vienna; accessed 22-May-2014].
- [3] P. Dunstan, "Shallow Water Coral Reefs." <http://www.zoo.ox.ac.uk/group/oceans/research/shallowreef.html>. [Ocean Research and Conservation Group, University of Oxford; accessed 22-May-2014].
- [4] C. Quirolo, "Climate, Carbon and Coral Reefs," tech. rep., World Meteorological Organization, 2010.
- [5] F. S. R. Maldives and S. E. Consultancy, "Reefscapers Project for reviving Coral Reefs in the Maldives." <http://livingvalues.fourseasons.com/reviving-coral-reefs-in-the-maldives/>. [Online; accessed 22-May-2014].
- [6] S. C. R. Organisation, "Koh Tao Restoration Project." <http://www.savecoralreefs.org/v2/?portfolio=koh-cao-restoration-project>. [Online; accessed 22-May-2014].
- [7] Y. LeCun, L. Bottou, Y. Bengio, and P. Haffner, "Gradient-based learning applied to document recognition," *Proceedings of the IEEE*, vol. 86, pp. 2278–2324, Nov 1998.
- [8] R. Girshick, J. Donahue, T. Darrell, and J. Malik, "Rich feature hierarchies for accurate object detection and semantic segmentation," *arXiv preprint arXiv:1311.2524*, 2013.
- [9] Z. Saidane and C. Garcia, "Automatic scene text recognition using a convolutional neural network," in *Workshop on Camera-Based Document Analysis and Recognition*, 2007.
- [10] P. Rep, *Review of the Great Barrier Reef Marine Park Act 1975 : review panel report*. Dept. of the Environment and Heritage Canberra, A.C.T., 2006.

-
- [11] G. Death, K. E. Fabricius, H. Sweatman, and M. Puotinen, “The 27-year decline of coral cover on the great barrier reef and its causes,” *Proceedings of the National Academy of Sciences*, vol. 109, no. 44, pp. 17995–17999, 2012.
- [12] I. C. R. A. N. ICRAN, “Coral Reefs: Ten Questions - Ten Answers.” <http://www.icran.org/peoplereefs-tenquestions.html>. [Online; accessed 25-May-2014].
- [13] K. E. Kohler and S. M. Gill, “Coral Point Count with Excel extensions (CPCe): A Visual Basic program for the determination of coral and substrate coverage using random point count methodology,” *Computers & Geosciences*, vol. 32, pp. 1259–1269, Nov. 2006.
- [14] O. Beijbom, P. J. Edmunds, D. I. Kline, B. G. Mitchell, and D. Kriegman, “Automated annotation of coral reef survey images,” *2012 IEEE Conference on Computer Vision and Pattern Recognition*, pp. 1170–1177, June 2012.
- [15] Y. Bengio, A. Courville, and P. Vincent, “Representation learning: A review and new perspectives,” no. 1993, pp. 1–34, 2013.
- [16] G. E. Hinton, S. Osindero, and Y.-W. Teh, “A fast learning algorithm for deep belief nets,” *Neural computation*, vol. 18, no. 7, pp. 1527–1554, 2006.
- [17] Y. Bengio, P. Lamblin, D. Popovici, H. Larochelle, *et al.*, “Greedy layer-wise training of deep networks,” *Advances in neural information processing systems*, vol. 19, p. 153, 2007.
- [18] C. Poultney, S. Chopra, Y. L. Cun, *et al.*, “Efficient learning of sparse representations with an energy-based model,” in *Advances in neural information processing systems*, pp. 1137–1144, 2006.
- [19] H. Lee, R. Grosse, R. Ranganath, and A. Y. Ng, “Convolutional deep belief networks for scalable unsupervised learning of hierarchical representations,” *Proceedings of the 26th Annual International Conference on Machine Learning - ICML '09*, pp. 1–8, 2009.
- [20] H. Lee, P. T. Pham, Y. Largman, and A. Y. Ng, “Unsupervised feature learning for audio classification using convolutional deep belief networks,” in *NIPS*, vol. 9, pp. 1096–1104, 2009.
- [21] J. Wang, J. Yang, K. Yu, F. Lv, T. Huang, and Y. Gong, “Locality-constrained linear coding for image classification,” in *Computer Vision and Pattern Recognition (CVPR), 2010 IEEE Conference on*, pp. 3360–3367, IEEE, 2010.
- [22] R. Collobert and J. Weston, “A unified architecture for natural language processing: Deep neural networks with multitask learning,” in *Proceedings of the 25th international conference on Machine learning*, pp. 160–167, ACM, 2008.

- [23] R. Salakhutdinov and G. Hinton, “An efficient learning procedure for deep boltzmann machines,” *Neural computation*, vol. 24, no. 8, pp. 1967–2006, 2012.
- [24] L. Deng, “A tutorial survey of architectures, algorithms, and applications for deep learning,” *APSIPA Transactions on Signal and Information Processing*, vol. 3, p. e2, 2014.
- [25] N. Foley and C. W. Armstrong, “The ecological and economic value of cold-water coral ecosystems,” pp. 1–39, 2010.
- [26] A. Compilation, “Economic Values of Coral Reefs, Mangroves, and Seagrasses,” 2008.
- [27] E. V. Kennedy, C. T. Perry, P. R. Halloran, R. Iglesias-Prieto, C. H. L. Schönberg, M. Wisshak, A. U. Form, J. P. Carricart-Ganivet, M. Fine, C. M. Eakin, and P. J. Mumby, “Avoiding coral reef functional collapse requires local and global action.,” *Current biology : CB*, vol. 23, pp. 912–8, May 2013.
- [28] M. Ahmed and C. Chong, *Economic valuation and policy priorities for sustainable management of coral reefs*. 2004.
- [29] J. Kleypas, “Encyclopedia of Earth: Coral Reefs.” <http://www.eoearth.org/view/article/151486/>. [Online 2012; accessed 26-May-2014].
- [30] J. M. Roberts, *Cold-water corals: the biology and geology of deep-sea coral habitats*. Cambridge University Press, 2009.
- [31] R. Clement, M. Dunbabin, and G. Wyeth, “Toward robust image detection of crown-of-thorns starfish for autonomous population monitoring,” in *Australasian Conference on Robotics and Automation 2005*, Australian Robotics and Automation Association Inc, 2005.
- [32] A. Mehta, E. Ribeiro, J. Gilner, and R. V. Woesik, “Coral reef texture classification using support vector machines.,” *VISAPP (2)*, 2007.
- [33] O. Pizarro, P. Rigby, M. Johnson-Roberson, S. B. Williams, and J. Colquhoun, “Towards image-based marine habitat classification,” *Oceans 2008*, pp. 1–7, 2008.
- [34] a.S.M. Shihavuddin, N. Gracias, R. Garcia, A. Gleason, and B. Gintert, “Image-Based Coral Reef Classification and Thematic Mapping,” *Remote Sensing*, vol. 5, pp. 1809–1841, Apr. 2013.
- [35] M. S. A. Marcos, L. David, E. Peñaflor, V. Ticzon, and M. Soriano, “Automated benthic counting of living and non-living components in Ngedarrak Reef, Palau via subsurface

- underwater video.,” *Environmental monitoring and assessment*, vol. 145, pp. 177–84, Oct. 2008.
- [36] M. Johnson-Roberson, S. Kumar, and S. Williams, “Segmentation and classification of coral for oceanographic surveys: a semi-supervised machine learning approach,” in *OCEANS 2006-Asia Pacific*, pp. 1–6, IEEE, 2007.
- [37] a. Purser, M. Bergmann, T. Lundälv, J. Ontrup, and T. Nattkemper, “Use of machine-learning algorithms for the automated detection of cold-water coral habitats: a pilot study,” *Marine Ecology Progress Series*, vol. 397, pp. 241–251, Dec. 2009.
- [38] M. Stokes and G. Deane, “Automated processing of coral reef benthic images,” *Limnol. Oceanogr.: Methods*, pp. 157–168, 2009.
- [39] T. Schoening, M. Bergmann, J. Ontrup, J. Taylor, J. Dannheim, J. Gutt, A. Purser, and T. W. Nattkemper, “Semi-automated image analysis for the assessment of megafaunal densities at the Arctic deep-sea observatory HAUSGARTEN.,” *PloS one*, vol. 7, p. e38179, Jan. 2012.
- [40] J. Stough, “Texture and Color Distribution-based Classification for Live Coral Detection,” *cs.wlu.edu*, no. July, pp. 9–13, 2012.
- [41] D. H. Hubel and T. N. Wiesel, “Receptive fields and functional architecture of monkey striate cortex,” *Journal of Physiology (London)*, vol. 195, pp. 215–243, 1968.
- [42] M. Matsugu, K. Mori, Y. Mitari, and Y. Kaneda, “Subject independent facial expression recognition with robust face detection using a convolutional neural network,” *Neural Networks*, vol. 16, no. 5-6, pp. 555–559, 2003.
- [43] Y. A. LeCun, L. Bottou, G. B. Orr, and K.-R. Müller, “Efficient backprop,” in *Neural networks: Tricks of the trade*, pp. 9–48, Springer, 2012.
- [44] R. Palm, “Prediction as a candidate for learning deep hierarchical models of data,” *Technical University of Denmark, Palm*, 2012.
- [45] P. Buysens, A. Elmoataz, and O. Lézoray, “Multiscale convolutional neural networks for vision: Based classification of cells,” in *Proceedings of the 11th Asian Conference on Computer Vision - Volume Part II, ACCV’12*, (Berlin, Heidelberg), pp. 342–352, Springer-Verlag, 2013.
- [46] A. Krizhevsky, I. Sutskever, and G. Hinton, “ImageNet Classification with Deep Convolutional Neural Networks.,” *NIPS*, pp. 1–9, 2012.

-
- [47] A. R. Syafeeza, S. S. Liew, and R. Bakhteri, "Convolutional Neural Network for Face Recognition with Pose and Illumination Variation," *International Journal of Engineering and Technology*, vol. 6, no. 1, pp. 44–57, 2014.
- [48] P. Pinheiro and R. Collobert, "Recurrent convolutional neural networks for scene labeling," in *Proceedings of The 31st International Conference on Machine Learning*, pp. 82–90, 2014.
- [49] S. Bazeille, I. Quidu, L. Jaulin, J.-P. Malkasse, *et al.*, "Automatic underwater image pre-processing," *Proceedings of CMM'06*, 2006.
- [50] K. Iqbal, R. A. Salam, A. Osman, and A. Z. Talib, "Underwater image enhancement using an integrated colour model.," *IAENG International Journal of Computer Science*, vol. 34, no. 2, 2007.
- [51] A. J. Bell and T. J. Sejnowski, "The 'independent components' of natural scenes are edge filters," *Vision Research*, vol. 37, no. 23, pp. 3327–38, 1997.
- [52] R. Memisevic, "Lecture Notes: Machine learning for vision Fall 2013." http://www.iro.umontreal.ca/~memisevr/teaching/ift6268_2013/notes4.pdf. [Online; accessed 19-May-2014].
- [53] A. Ng, "UFLDL Tutorial: Whitening." http://ufldl.stanford.edu/wiki/index.php/Whitening#ZCA_Whitening. [Online; accessed 19-May-2014].
- [54] A. Delorme, "ICA (Independent Component Analysis) for dummies." <http://sccn.ucsd.edu/~arno/indexica.html>. [Online; accessed 19-May-2014].
- [55] C. J., S. S., H. C., Z. G., P. M., and C. X. . G. W., "Wld: A robust local image descriptor.," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 32, no. 9, pp. 1705–1720, 2010.
- [56] A. Pal, N. Das, S. Sarkar, D. Gangopadhyay, and M. Nasipuri, "A new rotation invariant weber local descriptor for recognition of skin diseases.," in *PREMI* (P. Maji, A. Ghosh, M. N. Murty, K. Ghosh, and S. K. Pal, eds.), vol. 8251 of *Lecture Notes in Computer Science*, pp. 355–360, Springer, 2013.
- [57] M. Ghulam, M. Hussain, F. Alenezy, A. M. Mirza, G. Bebis, and H. Aboalsamh, "Race recognition using local descriptors," in *ICASSP*, pp. 1525–1528, IEEE, 2012.
- [58] S. Li, D. Gong, and Y. Yuan, "Face recognition using weber local descriptors.," *Neuro-computing*, vol. 122, pp. 272–283, 2013.

-
- [59] M. C. Morrone and D. C. Burr, “Feature detection in human vision: a phase-dependent energy model,” *Proceedings of the Royal Society of London. Series B, Containing papers of a Biological character. Royal Society (Great Britain)*, vol. 235, pp. 221–45, Dec. 1988.
- [60] A. Oppenheim and J. Lim, “The importance of phase in signals,” *Proceedings of the IEEE*, vol. 69, no. 5, 1981.
- [61] L. Zhang, L. Zhang, D. Zhang, and Z. Guo, “Phase congruency induced local features for finger-knuckle-print recognition,” *Pattern Recognition*, vol. 45, pp. 2522–2531, July 2012.
- [62] P. Kovesei, “Image features from phase congruency,” *Videre: Journal of computer vision research*, no. June, 1999.
- [63] A. Burlacu and C. Lazar, “Image features detection using phase congruency and its application in visual servoing,” in *Intelligent Computer Communication and Processing, 2008. ICCP 2008. 4th International Conference on*, pp. 47–52, IEEE, 2008.
- [64] K. L. Priddy and P. E. Keller, *Artificial neural networks: an introduction*, vol. 68. SPIE Press, 2005.
- [65] S. Lawrence, C. L. Giles, a. C. Tsoi, and a. D. Back, “Face recognition: a convolutional neural-network approach,” *IEEE transactions on neural networks / a publication of the IEEE Neural Networks Council*, vol. 8, pp. 98–113, Jan. 1997.
- [66] J. Roberts and S. Party, “Changing Oceans Expedition 2012 RRS James Cook 073 Cruise Report,” tech. rep., Heriot-Watt University, 2013.
- [67] P. Couto, “Assessing the accuracy of spatial simulation models,” *Ecological Modelling*, vol. 167, pp. 181–198, Sept. 2003.