Customizable LLM-Powered Chatbot for Behavioral Science Research

Zenon Lamprou* zenon.lamprou@strath.ac.uk University of Strathclyde UK

Abstract

The rapid advancement of Artificial Intelligence has resulted in the advent of Large Language Models (LLMs) with the capacity to produce text that closely resembles human communication. These models have been seamlessly integrated into diverse applications, enabling interactive and responsive communication across multiple platforms. The potential utility of chatbots transcends these traditional applications, particularly in research contexts, wherein they can offer valuable insights and facilitate the design of innovative experiments. In this study, we present a Customizable LLM-Powered Chatbot (CLPC)¹, a web-based chatbot system designed to assist in behavioral science research. The system is meticulously designed to function as an experimental instrument rather than a conventional chatbot, necessitating users to input a username and experiment code upon access. This setup facilitates precise data cross-referencing, thereby augmenting the integrity and applicability of the data collected for research purposes. It can be easily expanded to accommodate new basic events as needed; and it allows researchers to integrate their own logging events without the necessity of implementing a separate logging mechanism. It is worth noting that our system was built to assist primarily behavioral science research but is not limited to it, it can easily be adapted to assist information retrieval research or interacting with chat bot agents in general.

Keywords: Chatbot, Stimuli Presentation, LLMs

1 Introduction

The swift advancement of Artificial Intelligence has resulted in the advent of Large Language Models (LLMs) with the capacity to produce text that closely resembles human communication. These models have been seamlessly integrated into diverse applications, enabling interactive and responsive communication across multiple platforms. A significant implementation of this technology is observed in the development of chatbots, which frequently serve as the initial point of contact in numerous customer service and assistant roles. Nevertheless, the potential utility of chatbots transcends Yashar Moshfeghi* yashar.moshfeghi@strath.ac.uk University of Strathclyde UK

these traditional applications, particularly in research contexts, wherein they can offer valuable insights and facilitate the design of innovative experiments.

In the quest to enhance research methodologies, the CLPC system represents a significant innovation aimed at supporting behavioral scientific investigations. By employing the React framework, CLPC functions efficiently across web and mobile platforms, presenting a responsive user interface that adjusts to various screen dimensions. The system is meticulously designed to function as an experimental instrument rather than a conventional chatbot, necessitating users to input a username and experiment code upon access. This setup facilitates precise data cross-referencing, thereby augmenting the integrity and applicability of the data collected for research purposes.

The principal advantage of CLPC resides in its flexibility and customizability, which are crucial for adaptation to a variety of research scenarios. Users are empowered to modify numerous parameters without necessitating alterations to the foundational code, thereby enabling straightforward experimentation and promoting extensive adoption within the research community. The system accommodates the integration of various LLMs, facilitating a comparative evaluation of model performance across different contexts. By sustaining a robust backend architecture in Python, CLPC permits the effortless incorporation of novel models, thereby enhancing its versatility and applicability in academic and scientific research domains.

2 Related Work

In every research environment data are the backbone of every statistical analysis and the training of any machine learning model to perform predictions. The field of Information Retrieval (IR) is no different. New data has to be gathered frequently to enrich current data collections available publicly. To collect data an essential component is a stimuli presentation software . A vital feature of a stimuli presentation software is to have accurate timings for when the stimuli is presented [3]. Different attempts have been made deploying different techniques and software to achieve the desired latency from using Windows API [8], to helping medical professionals in routine testing but also in ICU testing [4].CLPC tries to come out of the lab and develop a system that can be used as naturally as possible and bridge

^{*}Both authors contributed equally to this research.

¹The CLPC system can be downloaded from https://github.com/ NeuraSearch/CLPC.

the gap of interacting with chatbot Agents in a lab environment oppose to the a more casual environment.

Furthermore the use of conversational agents have been recently a hot topic in the machine learning community [7]. With the introduction of ChatGPT[2] and Claude[1] just to name a few humans have been interacting with chatbot agents more than ever. Chatbot agents are also utilized extensively now in healthcare [5] and for therapy [6] to name a few of the domains currently used. Currently these agents operate on their own or 2-3 together. CLPC aims to implement all the most well known chatbot agents and generative LLMs to be interchange and work together on the same conversation.

3 System architecture

In this section we describe the functionality included in the CLPC System.

3.1 User Interface

The CLPC System is available for both web and mobile platforms since the front-end is build using the React framework. React offers the flexibility of generating one application that can fit all platforms and can offer a responsive design that can fit almost all screen sizes.

When the user firstly enters the platform is asked to enter a username and the experiment code. Username is used to crosscheck the data logged by the system for the subject. We intent to use CLPC as an experimental tool rather than a normal chatbot thus the experiment code refers to the current experiment so the researches can later on cross check which experiment the subject was performing on the given dataset.

After the user enters their credentials the main chat screen is presented. The user interface itself is pretty simple. A single chat window that the user can write a query and get back the response from the CLPC. On the left hand side you can click the settings icon which currently offers 4 sets of parameter customization.

- 1. Change the LLM which will generate the reply.
- 2. Change the way the results are presented.
- 3. Change the delay between each word appear on the screen.

On the bottom of the window there is a text box that takes the input from the user and uses the current selected LLM to get back a response. The user can also flag a response as being helpful or not using the thumbs up and thumbs down buttons next to each response.

3.2 Flexibility and Customization

The CLPC provides significant flexibility and customization for researchers, enabling adaptation to various experimental scenarios with minimal code changes. It can be enhanced with additional functionalities by utilizing the existing system framework, allowing for straightforward implementation of new features. As outlined in Section 3.1, the user interface allows customization of four different parameters, with the first being the selection of the LLM used to generate responses. Secondly, the representation of responses to participants can be modified. Currently, four options are available: "Show whole response," "Show one word at a time," "Show one sentence at a time," and "Typing."

The first option presents the entire response to the user instantly, while the latter three display the response progressively – either one word, one sentence, or one character at a time. This feature is particularly advantageous in behavioral science research, as it facilitates the analysis of reading intervals when users engage with paragraphs or individual words.

The remaining two customizable parameters include the duration each word appears on the screen and the fixation time between words. Users can control the display duration of words and the intervals between them when employing options two and three for formatting responses. Importantly, these timing adjustments can be made without altering any code; researchers can implement changes directly through the user interface.

Additionally, CLPC provides a template configuration file that researchers can set prior to experiments to further customize system behavior. Users can add prompts to CLPC to modify the model's responses without requiring code alterations. Furthermore, a second configuration file is available for researchers to input default values before experiments, allowing for comprehensive customization of system parameters and behaviors.

3.3 Utilizing Different LLMs

The CLPC system possesses a highly advantageous feature that allows for the incorporation of responses from various LLMs while maintaining the continuity of an ongoing conversation. By tracking the current dialogue at a higher level than the individual LLMs, CLPC enables users to switch between different models on the fly, as illustrated in Figure 2. This functionality is particularly beneficial in experimental settings, as it allows researchers to evaluate and compare responses from multiple LLMs simultaneously. The entire backend of CLPC is developed in Python, which simplifies the implementation and integration of new models into the system. Additionally, CLPC provides researchers with the flexibility to introduce new or custom models, provided they can be loaded and executed within a Python environment. This design not only enhances the adaptability of CLPC but also fosters a more comprehensive exploration of LLM capabilities in various research contexts.



Figure 1. Simple usage of the CLPC. The user sends a message and receives back a response which then proceeds to tag as relevant by pressing the thumbs up button.

		×	
Model		OpenAIGPT	-
Response Fo	rmatter		
	Shov	a sentence at a time	*
Fixation Time 950	in millise	econds	
- Word Duration	n in millis	seconds	
950			
	Ø	Type message here	

Figure 2. An example of using the configuration provided from the CLPC.

3.4 Logging Mechanism

The CLPC system features a customizable logging mechanism designed to capture various user events and interactions with the interface. This logging capability was developed for two primary purposes: first, to ensure that the system can be easily expanded to accommodate new basic events as needed; and second, to allow researchers to integrate their own logging events with minimal coding effort, without the necessity of implementing a separate logging mechanism. CLPC captures user interactions in both the front-end and back-end, providing a safeguard against data loss in the event of server or UI failures by storing all interactions in a backup location for later retrieval.

By default, the system logs a variety of events, including user actions such as clicking the thumbs-up or thumbs-down buttons, hovering over answer bubbles, sending responses, receiving responses from the language model, and recording the start and end times for displaying responses. The logging mechanism is designed generically, enabling users to implement only the specific events they wish to log while seamlessly integrating these custom events into the existing system. This flexibility enhances the usability of CLPC for researchers conducting experiments and other interactive studies, ensuring comprehensive data collection without unnecessary complexity.

4 Conclusion and Future Work

In this study, we present CLPC, an innovative web-based chatbot system meticulously designed to enhance behavioral science research initiatives. The defining characteristic of this system is its exceptional flexibility and adaptability, enabling its effective application across diverse research environments while maintaining an intuitive and user-friendly interface. By employing configuration files, we have refined the setup process, thereby obviating the requirement for any coding knowledge or expertise among users. Moreover, CLPC is endowed with a comprehensive logging mechanism that augments the tracking of interactions, supplemented by a versatile trigger system that can be activated promptly or adapted with ease to accommodate additional demands. As we anticipate future developments, our objective is to incorporate an advanced mechanism to effectively manage server delays, thereby extending CLPC's operational capabilities beyond local deployments into wider distributed online settings. Although the system was specifically developed to facilitate behavioral science research, it inherently possesses the potential to be adapted with minimal effort for applications in information retrieval research or for general interactions with chatbot agents across various domains.

References

- Anthropic AI. 2024. Claude AI: A Sophisticated AI System for Natural Language Processing and Understanding. https://claudeaihub.com/ what-claude-ai-can-do/
- [2] Tom B. Brown, Benjamin Mann, Nick Ryder, Melanie Subbiah, Jared Kaplan, Prafulla Dhariwal, Arvind Neelakantan, Pranav Shyam, Girish Sastry, Amanda Askell, et al. 2020. GPT-3: Improving Language Understanding with Task-Oriented Pre-Training. arXiv preprint arXiv:2005.14165

(2020). https://arxiv.org/abs/2005.14165

- [3] Richard Caton et al. 2011. Electroencephalography (EEG) and Event-Related Potentials (ERP's) with Human Participants. *Psychophysiology* 48, 3 (2011), 307–315. https://doi.org/10.1111/j.1469-8986.2010.01090.x
- [4] Natus Medical Incorporated. 2021. Natus® NeuroWorks® EEG Software. https://www.medicalexpo.com/prod/natus-medical/product-76900-1131073.html. A common software platform for EEG, Sleep and research studies. Available at: https://natus.com/neuro/neuroworks-eeg-software/.
- [5] A. Luke MacNeill, Lillian MacNeill, Alison Luke, and Shelley Doucet. [n. d.]. Health Professionals' Views on the Use of Conversational Agents for Health Care: Qualitative Descriptive Study. 26, 1 ([n. d.]), e49387. https://doi.org/10.2196/49387 Company: Journal of Medical Internet Research Distributor: Journal of Medical Internet Research Institution: Journal of Medical Internet Research Label: Journal of Medical Internet

Research Publisher: JMIR Publications Inc., Toronto, Canada.

- [6] Min Sook Park, Paramita Basak Upama, Adib Ahmed Anik, Sheikh Iqbal Ahamed, Jake Luo, Shiyu Tian, Masud Rabbani, and Hyungkyoung Oh. [n. d.]. A Survey of Conversational Agents and Their Applications for Self-Management of Chronic Conditions. 2023 ([n. d.]), 1064–1075. https://doi.org/10.1109/COMPSAC57700.2023.00162
- [7] Michelle M. E. Van Pinxteren, Mark Pluymaekers, and Jos G. A. M. Lemmink. [n. d.]. Human-like communication in conversational agents: a literature review and research agenda. 31, 2 ([n. d.]), 203–225. https: //doi.org/10.1108/JOSM-06-2019-0175 Publisher: Emerald Publishing Limited.
- [8] Abdurrahman Özbeyaz and M. Korkmaz. 2019. STIPRESOFT: An Alternative Stimuli Presentation Software Synchronizing with Current Acquisition Systems in EEG Experiments. SN Applied Sciences 1, 5 (2019), 1–10. https://doi.org/10.1007/s42452-019-1683-x